



G2 Series



Fire Rated: Tested on fire door assemblies in accordance with Australian Standards, refer fire door manufacturer for specific approval details

Legge has long been associated with providing Australasia industry-leading safety, security, style and convenience and the G2 cylindrical lockset is no exception. The G2 lockset offers ANSI/BHMA Grade 2 certification and the Sparta lever, with it's 35mm to 45mm clearance, makes it suitable for both residential and light commercial applications requiring compliance with AS1428:1-2009 design for access and mobility code, G2 Series functions include entrance, passage, privacy, patio and dummy trim. Commercial functions such as classroom, storeroom and Vanguard options are also available for added security and safety.

Features

- Sparta lever is compliant with AS1428:1-2009
- Tested in excess of 400,000 operating cycles
- Key removable outside lever for quick and easy cylinder placement
- Snap-on inside rose conceals mounting plate and screws
- Supplied standard with D and T strikes
- Two nickel silver keys per lock supplied with both Schlage 6 pin 'C' keyway and C4 6 pin keyway as standard
- The G2 series is ideally suited for residential, light and medium duty commercial applications
- Non-handed
- The 10 year warranty provides specifiers and users with assured quality and performance



Specification guide

Series	Lever	Function	Finish
G2G2	Neptune N Orbit O Sparta S	G10S PassagePASG40S PrivacyPRIG50PD EntranceENTG66PD Double cylinder LockDCENTG70PD ClassroomCLAG80PD Store roomSTRG170 Dummy trimDUMG91PD Vanguard entranceVENTG160 Single cylinder deadboltG2BOLTSCG162 Double cylinder deadboltG2BOLTDC	Satin chrome plate SCP


Note: Orbit knob only available in G50PD and G80PD Functions

1.	Series Select the desired series e.g. G2
2.	Lever Select the required lever e.g. Sparta
3.	Function Select the required function e.g. G50PD Entrance
4.	Finish Select the desired finish e.g. Satin chrome plate

Specifications


Door type

Deadbolt



Neptune


Orbit




35mm to 50mm Door thickness 45mm to 60mm available Chassis Steel, zinc dichromate plated Lever Pressure cast zinc Knob Wrought brass Outer forend Stainless steel Bolt Stainless steel Strike plate Stainless steel 45mm standard 22mm optional 70mm standard, 60mm and 127mm backset Backsets latches available Key cylinder Schlage C6 pin keyway and C4 6 pin keyway standard, Schlage E6 pin keyway is optional Compliance AS1428:1-2009 design for access and mobility code (Sparta lever) Finish Satin chrome plate Warranty 10 year mechanical

Timber or metal

Sparta



November 2015





Legge G2 Series non-keyed

Functions	Outside Inside
GIOS - Passage latch Both levers always unlocked	
3 30D - Patio lock ush-button locking. Turning inside lever or closing door releases button, preventing lock-out	
40S - Bath/bedroom privacy lock Jsh-button locking locks outside lever. Turning inside lever releases button. Outside lever has nergency release	
170 - Single dummy trim ummy trim for one side of door. Used for door pull or as matching inactive trim	G
egge G2 Series keyed	
Functions	Outside Inside
550PD - Entrance lock Turn/push-button locking, pushing and turning button locks outside lever requiring use of key until button s manually unlocked Push-button locking: pushing button locks outside lever until unlocked by key or by turning inside lever	
666PD - Double cylinder entrance lock ey outside locks/unlocks both handles simultaneously. Key inside locks/unlocks both handles imultaneously	
570PD - Classroom lock Dutside lever locked and unlocked by key. Inside lever always unlocked	
GBOPD - Storeroom lock Dutside lever fixed. Entrance by key only. Inside lever always unlocked	
G160 - Single cylinder deadbolt Deadbolt thrown or retracted by key from outside or by turn unit inside. Bolt automatically deadlocks when fully thrown	
G162 - Double cylinder deadbolt Deadbolt thrown or retracted by key from either side Bolt automatically deadlocks when fully thrown	•[]•







Legge G2 Series Vanguard option

G2 Series keyed lever locks with Vanguard provide vandal resistant technology. Designed for maximum accessibility, security, durability and function, Vanguard sets the standard for door hardware in educational facilities and other applications subject to heavy traffic or abuse. The unique features of Vanguard prevent damage to internal lock components caused by excessive force from individuals kicking, hitting or standing on the lever to gain access. In addition, total facility integration is available with the design and keying compatibility of heavy duty G2 Series lever furniture with Vanguard and standard G2 Series lever functions.

Levers are replacing knobs in the marketplace. The benefit of added grip and leverage that levers provide to those with limited mobility has, however created the opportunity for increased abuse or vandalism. This abuse often renders the lock in-operable, and in some cases, violates the security of the door. While this abuse is commonly associated with schools, it can and does occur in universities, office buildings, commercial and public buildings.



Locked lever freely rotates up and down while remaining securely locked. The Vanguard function also increases resistance to over-rotation of the lever.



Function Outside Inside G91PD - Entrance/office lock Push-button locking. Pushing button locks (disengages) outside lever until unlocked with key or Image: Comparison of the second seco

by turning inside lever. Inside lever always unlocked. Vanguard is designed to disengage outside spindle from latch with in locked condition






Legge G2 Series accessories

Springlatch

Deadlatch


Backset: 60mm, 70mm and 127mm Finish: Satin chrome plate

Backset: 60mm, 70mm and 127mm Finish: Satin chrome plate




D strike

Finish: Satin stainless steel



T strike


Finish: Satin stainless steel



Z2mm Backset


Rebate kit

This kit adapts latches and strikes for 13mm rebated door and frame preparations



Packing ring

Finish: Satin stainless steel





1

HEFE

it it it it it it

We are Allegion

Briton I CN GE SCHLAGE