We take the worry out of
protecting what's valuable to you.
Lockwood: no worries®

LOCKWOOD
ASSA ABLOY

25YEAR MECHANICAL WARRANTY

www.lockweb.com.au

5800 Series Narrow Plate Brass Door Furniture



Functional, yet elegant, the soft lines of this round ended brass plate complement a wide range of levers.

Application

Designed for use with Lockwood Selector and Synergy Series short and standard backset mortice locks.

Additionally there are functions that are designed to work with Lockwood 3540 Series short backset mortice deadbolts.

Note: Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability page at the end of this section.



Product Details

Dimensions	185 x 26 x 11.5mm
Door Thickness	External plates are supplied with fixing screws to suit door thickness between 32 and 50mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
Handing	Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure at the end of this section.
Decorative Finishes	**Standard Finish:** Satin Chrome Brushed **(SC)** **Non Standard Finishes:** Chrome Plate **(CP)** Polished Brass **(PB)** Polyester Powdercoat **(PC)*** **Special Finishes:** Aged Brass **(AG)** Architectural Bronze **(AZ)** Architectural Bronze Unlaqured **(AU)** Antique Copper **(AC)** Oil Rubbed Bronze **(ORB)** Polished Brass Unlaqured **(BU)** Satin Brass **(SB)** Satin Brass Unlacquered **(SBU)**
Turn Functions Adjustable Tailbar	Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.

* Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.

Standards and Compliance

5600 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

D8 5800 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

5800 Series in brushed satin chrome finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

5800 Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

5800 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

25YEAR MECHANICAL WARRANTY

5800 Series Plate Functions

Plates and Functions

(See Page 17 and 18 for Detailed Ordering Procedure Table and Part Numbers)

To suit 3780 Series Mortice Locks

5800/5900

5800

Exterior Plate Round-end Cylinder Only

5801



Exterior Plate Round-end Cylinder & Lever

5803



Exterior Plate Round-end Emergency Turn & Lever

5805



Exterior Plate Round-end Lever Only

5807



Exterior Plate Round-end Plain Plate

5808



Exterior Plate Round-end Fixed Lever & Cylinder

5809



Exterior Plate Round-end Fixed Lever Only

5810

Exterior Plate Round-end Two Cylinders

5811



Exterior Plate Round-end Cylinder, Lever & Lens

5812



Exterior Plate Round-end Lever & Lens

5814



Exterior Plate Round-end Privacy Indicating Emergency urn & Lever

5819

Exterior Plate Round-end Privacy Indicating Emergency Turn & Lower Cylinder

5900

Interior Plate Round-end Cylinder Only

5901



Interior Plate Round-end Cylinder & Lever

5904



Interior Plate Round-end Turnknob & Lever

5905



Interior Plate Round -end Lever Only

5906



Interior Plate Round-end Turnknob Only

5907

Interior Plate Round-end Plain Plate

5908



Interior Plate Round-end Fixed Lever & Cylinder

5909



Interior Plate Round-end Fixed Lever Only

5910

Interior Plate Round-end Two Cylinders

5911



Interior Plate Round-end Cylinder, Lever & Lens

5912



Interior Plate Round-end Lever & Lens

5916



Interior Plate Round-end Privacy Indicating Turnknob & Lever

5939



Interior Plate Round-end Disabled Accessible Turnknob & Lever

5941



Interior Plate Round-end Privacy Indicating Disabled Accessible Turnknob & Lever

Note: Refer to page 18 for images of levers and knob styles available.

5800 Series Plate Functions

To suit 3770 & 3570 Series Mortice Locks **5600/5700** (fire rated)

Functions 05, 07 & 09 use
5800 / 5900 plate versions

5600

Exterior Plate Round-end Cylinder Only

5601

Exterior Plate Round-end Cylinder & Lever

5603

Exterior Plate Round-end Emergency Turn & Lever

5608

Exterior Plate Round-end Fixed Lever & Cylinder

5620

Exterior Plate Round-end Cylinder, Lever & LED

5622

Exterior Plate Round-end Lever & LED

5623

Exterior Plate Round-end Cylinder & LED

5805

Exterior Plate Round-end Lever Only

5807

Exterior Plate Round-end Plain Plate

5809

Exterior Plate Round-end Fixed Lever Only

5700

Interior Plate Round-end Cylinder Only

5701

Interior Plate Round-end Cylinder & Lever

5704

Interior Plate Round-end Turnknob & Lever

5706

terior Plate Round-end Turnknob Only

5708

Interior Plate Round-end Fixed Lever & Cylinder

5720

Interior Plate Round-end Cylinder, Lever & LED

5722

Interior Plate Round-end Lever & LED

5739

Interior Plate Round-end Disabled Accessible Turnknob & Lever

5741

Interior Plate Round-end Privacy Indicating Disabled Accessible Turnknob & Lever

5905

Interior Plate Round-end Lever Only

5907

Interior Plate Round-end Plain Plate

5909

Interior Plate Round-end Fixed Lever Only

To suit 3540 Series Mortice Locks

5980

Interior Plate Round-end Lever Only

5981


Interior Plate Round-end Lever Angled Up 45°

Note: Refer to page 18 for images of levers and knob styles available.

25YEAR MECHANICAL WARRANTY

4800 & 5800 Series Ordering Procedure

Example:

Sample part number 4801/53LCP is made up of several selections. Choose your product by selecting an option from each section.

Ordering procedure for door furniture to be used with Selector Series Mortice Locks 3770 and 3780 and for use with Synergy Series Mortice Locks 3570.

Plate Type	Plate Function		Lever Type	Handing	Finish
48	01	/	53	L	CP

Plate Type

Standard backset mortice locks 3570 Series (Synergy) and 3770 Series (Selector)

Exterior Square End	46
Interior Square End	47
Exterior Round End	56
Interior Round End	57

Short backset mortice locks 3780 Series (Selector)

Exterior Square End	48
Interior Square End	49
Exterior Round End	58
Interior Round End	59

Plate Function

Cylinder Only	00
Cylinder & Lever	01
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06
Plain Plate	07
Two Cylinders	10
Disabled Accessible Turnknob	38
Disabled Accessible Turnknob & Lever	39
Privacy Indicating Disabled Accessible Turnknob	40
Privacy Indicating Disabled Accessible Turnknob & Lever	41

Plate Functions - 3570EL Series Synergy Electric Mortice Locks only

Cylinder, Lever & LED	20
Lever & LED	22
Cylinder & LED	23

Plate Functions - 3780 Series Mortice Lock only

Privacy Indicating Emergency Turn & Lever	14
Privacy Indicating Turnknob & Lever	16
Privacy Indicating Turnknob & Lower Cylinder	19
Disabled Accessible Turnknob	38
Disabled Accessible Turnknob & Lever	39
Privacy Indicating Disabled Accessible Turnknob & Lever	41

Plate Function - Handed

Fixed Lever & Cyinder	08
Fixed Lever Only	09
Cylinder, Fixed Lever & LED	21

Plate Functions - 3780EL Series Selector Electric Mortice Locks only

Cylinder, Lever and Lens	11
Lever & Lens	12

AS1428.1 Compliant Lever Types

102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non Compliant Lever/Knob Types

101	104	106
123	178	97
20		

Handed Levers

41	122	153

Notes: Certain lever designs are not compatible on short backset assemblies. See page 17 for specific lever design suitability details.

Refer to page 18 for detailed images of the levers and knobs that suit this range.

Handing

Right Handed	R
Left Handed	L

NB: Omit if non-handed

Finish

Aged Brass	AG
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Chrome Plate	CP
Oil Rubbed Bronze	ORB
Polished Brass	PB
Polished Brass Unlacquered	BU
Polyester Powdercoat	PC*
Satin Brass	SB
Satin Chrome	SC
Satin Brass Unlacquered	SBU

** Refer to the end of this catalogue for detailed images of all decorative finishes from this section.*

4800 & 5800 Series Ordering Procedure

Ordering procedure for door furniture to be used with 3540 Series Mortice Locks

Plate Type	Plate Function		Lever Type	Finish
48	80	/	70	SC

Platform Name

Exterior Square End	48
Interior Square End	49
Exterior Round End	58
Interior Round End	59

Plate Function

Lever Only	80
Lever - Angled Up 45°	81

Lever Type

67

AS1428.1 Compliant Levers

70 77

Note: Certain lever designs are not compatible on short backset assemblies. See page 17 for specific lever design suitability details.

See page 18 for details on lever images and dimensions.

Finish

Aged Brass	AG
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Chrome Plate	CP
Oil Rubbed Bronze	ORB
Polished Brass	PB
Polished Brass Unlacquered	BU
Polyester Powdercoat	PC
Satin Brass	SB
Satin Brass Unlacquered	SBU
Satin Chrome	SC

** Refer to the end of this catalogue for detailed images of all decorative finishes from this section.*

25YEAR MECHANICAL WARRANTY

4800 & 5800 Series Lever Suitability

Application

All narrow style door furniture will be closer to the door frame. Lever handles with 90 degree angles can cause the lever stem to hit the door frame and prevent the door from opening. The table below provides a guide to lever compatibility and each model of short backset lock from 3782 to 6782. Based on 12mm doorstop.

Lever Number	3782 3540 23mm	4782 25.4	5782 30mm	6782 38mm
41	✗	✗	✓	✓
59	✗	✗	✓	✓
70	✓	✓	✓	✓
74	✗	✗	✓	✓
76	✗	✗	✓	✓
77	✓	✓	✓	✓
90	✗	✗	✓	✓
97	✓	✓	✓	✓
101	✗	✗	✓	✓
102	✓	✓	✓	✓
104	✗	✓	✓	✓
106	✗	✗	✓	✓
111	✗	✗	✓	✓
112	✗	✗	✓	✓
115	✓	✓	✓	✓
116	✗	✗	✓	✓
118	✗	✗	✓	✓
122	✗	✗	✓	✓
122	✗	✗	✓	✓
123	✗	✗	✓	✓
124	✗	✗	✓	✓
131	✗	✗	✓	✓
132	✗	✗	✓	✓
133	✗	✗	✓	✓
144	✗	✓	✓	✓
145	✗	✗	✓	✓
153	✗	✗	✓	✓
155	✗	✓	✓	✓
166	✗	✗	✓	✓
178	✗	✗	✓	✓
180	✗	✓	✓	✓

BRASS CORE

For use on the following door furniture series:

- 1220 Series
- 1420 Series
- 1360 Series
- 1370 Series
- 1800 Series
- 2800 Series
- 4800 Series
- 5800 Series
- Artefact Series

AS1428.1 Compliant Levers

Lever 102

Length	134.3mm
Projection	57.5mm



AS1428.1 COMPLIANT

Lever 111

Length	130mm
Projection	48.5mm



AS1428.1 COMPLIANT

Lever 112

Length	130.5mm
Projection	48mm



AS1428.1 COMPLIANT

25YEAR MECHANICAL WARRANTY

Brass Levers and Knobs

AS1428.1 Compliant Levers

Lever 115

Length	140.4mm
Projection	60mm



AS1428.1 COMPLIANT

Lever 116

Length	140.5mm
Projection	47.6mm



AS1428.1 COMPLIANT

Lever 118

Length	128mm
Projection	58mm



AS1428.1 COMPLIANT

Lever 124

Length	130.5mm
Projection	59mm



AS1428.1 COMPLIANT

Brass Levers and Knobs

AS1428.1 Compliant Levers

Lever 131

Length	134.5mm
Projection	53mm



AS1428.1 COMPLIANT

Lever 132

Length	130mm
Projection	57.5mm



AS1428.1 COMPLIANT

Lever 133

Length	130mm
Projection	53.5mm



AS1428.1 COMPLIANT

Lever 142

Length	130.5mm
Projection	55mm



AS1428.1 COMPLIANT

25YEAR MECHANICAL WARRANTY

Brass Levers and Knobs

AS1428.1 Compliant Levers

Lever 144

Length	128.8mm
Projection	57.5mm



Lever 145

Length	130mm
Projection	58.5mm



Lever 155

Length	129.3mm
Projection	57.5mm



Lever 166

Length	130mm
Projection	48mm



Brass Levers and Knobs

AS1428.1 Compliant Levers

Lever 47*

Length	120mm
Projection	49.6mm

* Lever 47 needs to be handed with 1800 and 2800 plate furniture assemblies.



AS1428.1 COMPLIANT

Lever 59

Length	121mm
Projection	57.5mm



AS1428.1 COMPLIANT

Lever 70

Length	121mm
Projection	53mm



AS1428.1 COMPLIANT

Lever 74

Length	120mm
Projection	53mm



AS1428.1 COMPLIANT

25YEAR MECHANICAL WARRANTY

Brass Levers and Knobs

AS1428.1 Compliant Levers

Lever 76

Length	125mm
Projection	48.5mm



AS1428.1 COMPLIANT

Lever 77

Length	121mm
Projection	51mm



AS1428.1 COMPLIANT

Lever 90

Length	118.5mm
Projection	52mm



AS1428.1 COMPLIANT

Brass Levers and Knobs

Non compliant lever/knob types

Lever 101

Length	130mm
Projection	48.5mm



Lever 104

Length	133.8mm
Projection	57.5mm



Lever 106

Length	130mm
Projection	48mm



Lever 123

Length	130.5mm
Projection	59mm



25YEAR MECHANICAL WARRANTY

Brass Levers and Knobs

Non compliant lever/knob types

Lever 178	
Length	130mm
Projection	63.6mm



Lever 97	
Length	120mm
Projection	50.5mm



Knob 20	
Diameter	50mm
Projection	73mm

Not compatible with 1220 Symphony internal rose.



Brass Levers and Knobs

Handed Levers

Lever 41

Length	130mm
Projection	61.5mm

* Lever is an asymmetrical design and therefore must be handed.



Lever 122

Length	130.5mm
Projection	59mm

* Lever is an asymmetrical design and therefore must be handed.



Lever 153

Length	120mm
Projection	70.6mm

* Lever is asymmetrically designed and therefore must be handed



25YEAR MECHANICAL WARRANTY

200 Series Artefact Square Corner Plate Furniture

The 200 Series Door Furniture Plates measure 162X162mm, and feature square corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.





SS/Brass Aluminium

Product Details

Dimensions	162 x 162 x 3mm - aluminium 162 x 162 x 2mm - stainless steel and brass
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Standard Finishes	Natural Anodised Aluminium **(NT)** Satin Stainless Steel **(SS)**
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
Finishes Non Standard	316 Marine Grade **(MG)** Polished Brass **(PB)** Polished Stainless Steel **(PS)** Powdercoat **(PC)***
Handing	All plates are handed with the exception of plain plates and pull handles.
Materials	Aluminium, brass and stainless steel

Note: When using flush pulls back to back the minimum door thickness is 40mm.

* Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.

Standards and Compliance

	Artefact 200 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.
D8	Artefact 200 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.
	Anti-Corrosion
	Artefact 200 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.
	Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

200 Series Levers and Functions

Levers and Knob to Suit



20*1 96 98

For lever images and dimensions, see page 15.

*1 Stainless Steel Only

Pull Handle to Suit

75 Aluminium P1 Stainless Steel

Plates



20000NA 20100NA 20002NN 20006NN 20106NN 20010NA 20013NN*3
20007AN 20007CN 20007EN 20007FN 20007NN 20107NN



20001NA 20101NA 20003NN 20004NN 20104NN 20014NN*3 20020NA 20120NA
20005NN 20105NN 20022NN 20122NN 20139NN*3



20024NN 20124NN 20025NA 20125NA 20027NN 20127NN 20028NN 20142NN
20024AN 20024CN 20024EN 20024GN 20031NN*4 20131NN*4 20032NA*4 20132NA*4 20035NN*4 20134NN*4

*3 Replace NN with NS when ordering with 3770 Series
*4 Recommended for sliding doors only

Plates and Functions Legend

Cylinder Hole	Emergency Turn	LED
Turnknob	Disabled Turnknob	Indicating Emergency Turn

25YEAR MECHANICAL WARRANTY

202 Series Artefact Round Corner Plate Furniture



The 202 Series Door Furniture is 162mm square with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.





SS/Brass Aluminium

Product Details

Dimensions	162 x 162 x 3mm - aluminium 162 x 162 x 2mm - stainless steel and brass
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
Standard Finishes	Natural Anodised Aluminium **(NT)** Satin Stainless Steel **(SS)**
Finishes Non Standard	316 Marine Grade **(MG)** Polished Brass **(PB)** Polished Stainless Steel **(PS)** Powdercoat **(PC)***
Handing	All plates are handed with the exception of plain plates and pull handles.
Materials	Aluminium, brass and stainless steel

Note: When using flush pulls back to back the minimum door thickness is 40mm.

* Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.

Standards and Compliance

	Artefact 202 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.
D8	Artefact 202 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.
	Anti-Corrosion
	Artefact 202 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.
	Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

202 Series Levers and Functions

Levers and Knob to Suit



20*1 96 98

For lever images and dimensions, see page 15.

*1 Stainless Steel Only

Pull Handle to Suit

75 Aluminium P1 Stainless Steel

Plates



20200NA 20300NA 20202NN 20206NN 20306NN 20210NA 20213NN*3
20207AN 20207CN 20207EN 20207FN 20207NN 20307NN
20201NA 20301NA 20203NN 20204NN 20304NN 20214NN*3 20220NA 20320NA
20205NN 20305NN 20222NN 20322NN 20339NN*3
20224NN 20324NN 20225NA 20325NA 20227NN 20327NN 20228NN 20342NN
20224AN 20224CN 20224EN 20224GN 20231NN*4 20331NN*4 20232NA*4 20332NA*4 20235NN*4 20334NN*4

*3 Replace NN with NS when ordering with 3770 Series
*4 Recommended for sliding doors only

Plates and Functions Legend

Cylinder Hole	Emergency Turn	LED
Turnknob	Disabled Turnknob	Indicating Emergency Turn

25YEAR MECHANICAL WARRANTY

200/202 Series Ordering Procedure

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 20001NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate Type	Plate Function	Engraving	Cylinder Type		Lever/Knob/ Pull Handle	Handing	Finish
200	01	N	A	/	96	L	SS

Plate Type

Exterior Plate (162 x 162) – Square Corners	200
Interior Plate (162 x 162) – Square Corners	201
Exterior Plate (162 x 162) – Radius Corners	202
Interior Plate (162 x 162) – Radius Corners	203

Plate Function

Plain Plate	07
Pull Handle Only	24

Plate Function - Handed

Cylinder Only	00
Cylinder & Lever	01
Emergency Turn Only	02
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06
Cylinder & Fixed Lever	08
Fixed Lever Only	09
Dual Cylinder	10
Privacy Indicating Emergency Turn Only	13
Privacy Indicating Emergency Turn & Lever	14
Privacy Indicating Turnknob & Lever	16
Cylinder, Lever & LED	20
Cylinder, Fixed Lever & LED	21
Lever & LED	22
Cylinder & LED	23
Pull Handle & Cylinder	25
Pull Handle & Emergency Turn	26
Pull Handle & Turnknob	27
Pull Handle & Privacy Indicating Emergency Turn	28
Pull Handle & Dual Cylinder	30
Flush Pull Only	31
Flush Pull & Cylinder	32
Flush Pull & Emergency Turn	33
Flush Pull & Turnknob	34
Flush Pull & Privacy Indicator Emergency Turn	35
Flush Pull & Dual Cylinder	37
Disabled Turnknob & Lever	39
Pull Handle & Disabled Turnknob	42

Engraving - Handed

A – G Outlined Infill
R – X Full Infill

Male symbol	A	R
Male text	B	S
Female symbol	C	T
Female text	D	U
Disabled symbol	E	V
Push text	F	W
Pull text	G	X
Unisex symbol	H	Y
No option	N	

For all in-filled engraving, black gloss is the standard.

Cylinder Type

Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	A
Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	B
No Cylinder Function – Selector	S*
No Cylinder Function – Synergy	N

**Only applies to 13, 14, 16 and 39 functions*

AS1428.1 Compliant Lever Types

102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non Compliant Lever/Knob Types

101	104	106
123	178	97
20		

Handed Levers

41	122	153

Pull Handles

P1	P1*1	75*2

Pull Handles - Horizontal

HP1	HP1*1	H75*2

Handles are brass unless indicated otherwise
**1 = Stainless Steel*
**2 = Aluminium*
**3 = 316 Marine Grade*
*** Lever 65 and 85 not available in PS or PB*

Handing

Left Handed	L
Right Handed	R

Finish

Stainless Steel Finishes	
316 Marine Grade	MG
Powdercoat	PC
Polished Stainless Steel	PS
Satin Stainless Steel	SS
Aluminium Finishes	
Natural Anodised	NT*
Brass Finishes	
Polished Brass	PB

** Refer to the end of this catalogue for detailed images of all decorative finishes from this section.*

212 Series Artefact Oval Plate Furniture

The 212 Series Door Furniture is 162mm long x 50mm wide with radius ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Selector 3770 and Synergy 3570 Series Mortice Locks.





SS/Brass Aluminium

Product Details

Dimensions	162 x 50 x 3mm - aluminium 162 x 50 x 2mm - stainless steel and brass
Materials	Aluminium, stainless steel or brass
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Standard Finishes	Natural Anodised Aluminium **(NT)** Stainless Steel **(SS)**
Non Standard Finishes	316 Marine Grade **(MG)** Polished Stainless Steel **(PS)** Powdercoat **(PC)**

Standards and Compliance

	Artefact 212 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.
D8	Artefact 212 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.
	Anti-Corrosion.
	Artefact 212 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.
	Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

25YEAR MECHANICAL WARRANTY

212 Series Levers and Functions

Levers and Knob to Suit



20*1



96



98

For lever images and dimensions, see page 15.

*1 Stainless Steel Only

Pull Handle to Suit



75
Aluminium

P1
Stainless Steel

Plates



21200NA



21300NA



21202NN



21206NN



21306NN

21207NN

21307NN



21210NA



21213NN*3



21201NA



21301NA



21203NN



21204NN



21304NN



21205NN



21305NN



21214NN*3



21339NN*3



21220NA



21320NA



21222NN



21322NN

*3 Replace NN with NS when ordering with 3770 Series

Plates and Functions Legend

Cylinder Hole	Emergency Turn	LED
Turnknob	Disabled Turnknob	Indicating Emergency Turn

224 Series Artefact Rectangular Plate Furniture

The 224 Series Door Furniture is 162mm long x 50mm wide with square ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Selector 3770 and Synergy 3570 Series Mortice Locks.



Product Details

Dimensions	162 x 50 x 2mm - stainless steel
Materials	Stainless steel only
Door Thickness	35mm to 45mm as supplied. Maximum 65mm. For thicker door parts, see page 53.
Finishes	Stainless Steel **(SS)**

Standards and Compliance

	Artefact 224 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.
D8	Artefact 224 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.
	Anti-Corrosion.
	Artefact 224 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.
	Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

25YEAR MECHANICAL WARRANTY

224 Series Levers and Functions

Levers and Knob to Suit



20 96 98

For lever images and dimensions, see page 15.

Pull Handle to Suit

P1
Stainless Steel

Plates



22400NA 22500NA 22402NN 22406NN 22506NN 22407NN 22507NN 22410NA 22413NN*

22401NA 22501NA 22403NN 22404NN 22504NN 22405NN 22505NN 22414NN* 22539NN*

22420NA 22520NA 22422NN 22522NN

* Replace NN with NS when ordering with 3770 Series

Plates and Functions Legend

Cylinder Hole	Emergency Turn	LED
Turnknob	Disabled Turnknob	Indicating Emergency Turn

212/224 Series Ordering Procedure

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 21201NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate Type	Plate Function	Engraving	Cylinder Type		Lever/Knob/ Pull Handle	Handing	Finish
212	01	N	A	/	96	L	SS

Plate Type

Exterior Plate (162 x 50) – Oval	212
Interior Plate (162 x 50) – Oval	213
Exterior Plate (162 x 50) – Rectangular	224
Interior Plate (162 x 50) – Rectangular	225

Plate Function

Cylinder Only	00
Cylinder & Lever	01
Emergency Turn Only	02
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06
Plain Plate	07
Dual Cylinder	10
Privacy Indicating Emergency Turn Only	13
Privacy Indicating Emergency Turn & Lever	14
Privacy Indicating Turnknob & Lever	16
Cylinder, Lever & LED	20
Cylinder, Fixed Lever & LED	21
Lever & LED	22
Cylinder & LED	23

Plate Function - Handed

Cylinder & Fixed Lever	08
Fixed Lever Only	09
Disabled Turnknob & Lever	39

Engraving - Handed

A – G Outlined Infill
R – X Full Infill

Male symbol	A	R
Male text	B	S
Female symbol	C	T
Female text	D	U
Disabled symbol	E	V
Push text	F	W
Pull text	G	X
Unisex symbol	H	Y
No option	N	

For all in-filled engraving, black gloss is the standard.

Cylinder Type

Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	A
Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	B
No Cylinder Function - Selector	S*
No Cylinder Function - Synergy	N

**Only applies to 13, 14, 16 and 39 functions*

AS1428.1 Compliant Lever Types

102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
78	90	

Non Compliant Lever/Knob Types

101	104	106
123	178	97
20		

Handed Levers

41	122	153

Angled Levers

98A

Pull Handles

P1	P1*1	75*2

Handles are brass unless indicated otherwise
**1 = Stainless Steel*
**2 = Aluminium*
*** Lever 65 and 85 not available in PS or PB*

Handing

Left Handed	L
Right Handed	R

Finish

Stainless Steel Finishes	
316 Marine Grade	MG
Powdercoat	PC
Polished Stainless Steel	PS
Satin Stainless Steel	SS
Aluminium Finishes*4	
Natural Anodised	NT

** Refer to the end of this catalogue for detailed images of all decorative finishes from this section.*

25YEAR MECHANICAL WARRANTY

Detention Series Square Plate Furniture

A heavy duty plate designed for use in hospitals and detention facilities. Styled for institutional use, this plate has six fixing points to ensure that it is well secured to the door. Plates are designed to be free of ligature points.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.

Features and Specifications

- Anti-ligature - Knob 21 & 22
- Covers fixing holes from existing Artefact 200 Series Furniture
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turnknob is held from the inside

Product Details

Dimensions	162mm x 180mm x 2mm: base plate 161mm x 75mm x 3mm: bevelled top plate
Door Thickness*	35mm minimum, 45mm maximum
Finishes	Satin Stainless Steel **(SS)**
Fixing	Six fixing points 220D series plates have concealed fixings 221D series plates have visible fixings
Handing	All plates are handed except 220D07, 220D24 and 220D31, which are non-handed when ordered without engraving.
Materials	Stainless steel

***Note:** A minimum door thickness of 50mm is required to fit flush pulls back to back.

Standards and Compliance

	Fire Rated Lockwood Detention Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.
S3	High security for maximum protection (AS4145.2:1993).
D3	High durability for maximum frequency usage.
	Anti-Corrosion

Detention Series Square Plate Lever/Knobs and Functions





Cylinder guards must be ordered separately. Only the plate functions shown above in red are available with engraving.

* Refer to ordering procedure for part number when ordering with 3770 Series

Lever and Knob Selection

Standard Knob 21



Webbed Knob 22



Lever 23



25YEAR MECHANICAL WARRANTY

Detention Series Rectangular Plate Furniture

This smaller plate range has been designed for use in detention facilities such as hospitals where domestic aesthetics are preferred over institutional type styling. Plates are designed to be free of ligature points.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.

Features and Specifications

- Anti-ligature - Knob 21 & 22
- Covers fixing holes from existing 212 Series Artefact Plates
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turnknob is held from the inside

Product Details

Dimensions	162mm x 76mm x 2mm: base plate 161mm x 75mm x 3mm: bevelled top plate
Door Thickness	35mm minimum, 45mm maximum
Finishes	Satin Stainless Steel **(SS)**
Fixing	Four fixing points 222D series plates have concealed fixings 223D series plates have visible fixings
Handing	Only plates with 23 Lever and / or turnknobs are handed
Materials	Stainless steel

Standards and Compliance

	Fire Rated Lockwood Detention Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.
S3	High security for maximum protection (AS4145.2:1993).
D3	High durability for maximum frequency usage.
	Anti-Corrosion

Detention Series Rectangular Plate Lever/Knobs & Functions



Legend:
Cylinder Hole
Lever/Knob
Fixed Lever/Knob
Turnknob
Emergency Turn
Privacy Indicating Turnknob
Privacy Indicating Emergency Turn
LED
Pull Handle

* Refer to ordering procedure for part number when ordering with 3770 Series

Lever and Knob Selection

Standard Knob 21



Webbed Knob 22



Lever 23



Detention Series – Knobs and Levers

Standard Knob 21

Simple yet functional, this knob has soft edges to minimise impact injuries and anti-ligature features that make it suitable for use in detention facilities.



Webbed Knob 22

The webbed knob combines pleasing aesthetics, comfortable grip and anti-ligature features to provide a solution for any environment.



Lever 23

Ergonomically designed to maximise grip, the detention lever is suitable for use in hospitals and minimum security applications. It caters especially for the elderly or people with arthritic conditions.



Detention Series – Turns

Emergency Turn



Turnknob



Privacy Indicating Emergency Turn



Privacy Indicating Turnknob



25YEAR MECHANICAL WARRANTY

Detention Series – Pulls

Flush Pull

The detention flush pull has been designed to maximise grip and eliminate the possibility of hiding objects in the cavity.



Standard Pull

The detention pull allows for a firm grip and can be used to open heavy doors. Also designed to be free of hanging points.



Detention Series – Accessories

Cylinder Guards

Part Number	Door Thickness Suitability
220D00/40SS	Suit doors 35-40mm
220D00/45SS	Suit doors 40-45mm
220D00/50SS	Suit doors 45-50mm
220D00/55SS	Suit doors 50-55mm
220D00/60SS	Suit doors 55-60mm

Cylinder guards must be fitted with any cylinder plate function. Guards are available to suit different door thicknesses.

Fixing Screws

Part Number	Description	Door Thickness Suitability
220D11/45	Torx Anti-tamper Screws	35 - 45mm
220D11/55	Torx Anti-tamper Screws	45 - 55mm
220D11/65	Torx Anti-tamper Screws	55 - 65mm
220D12/45	Standard Screws	35 - 45mm
220D12/55	Standard Screws	45 - 55mm
220D12/65	Standard Screws	55 - 65mm
220D13/50	Snake-eye Screws	35 - 50mm

Torx anti-tamper, snake-eye and standard screws are available in accessory packs to suit different door thicknesses. Only standard screws to suit doors 35mm – 45mm thick are supplied with furniture. Other variations need to be ordered separately using part numbers specified.

All accessory packs contain six screws for the six mounting points per plate.

Screws are a M4 threaded screw with micro-encapsulation to provide resistance against coming loose. Screws are supplied with concealed fix furniture. For screws longer than 65mm, order SP0655MBK (75mm screws).

Detention Series Square Plate Furniture Ordering Procedure

When ordering 04, 06, 13, 14, 15, 16, 59, 60, 61, 65, 66 or 67 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 220D01NA/21LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate		Function	Engraving Options	Cylinder Type		Lever/ Knob	Handing	Finish
220	D	01	N	A	/	21	L	SS

Plate

Concealed Fix 162mm x 180mm	220
Visible Fix 162mm x 180mm	221

Function

Plain Plate	07
Pull Handle Only	24
Flush Pull Only	31

Function - Handed

Cylinder Only	00
Cylinder and Lever/Knob	01
Emergency Turn Only	02
Emergency Turn and Lever	03
Turnknob and Lever/Knob	04
Lever/Knob Only	05
Turnknob Only	06
Cylinder and Fixed Lever/Knob	08
Fixed Lever/Knob Only	09
Privacy Indicating Emergency Turn Only	13
Privacy Indicating Emergency Turn and Lever/Knob	14
Privacy Indicating Turnknob Only	15
Privacy Indicating Turnknob and Lever/Knob	16
Cylinder, Lever/Knob and LED	20
Cylinder, Fixed Lever/Knob and LED	21
Lever/Knob and LED	22
Cylinder and LED	23
Pull Handle and Cylinder	25
Pull Handle and Emergency Turn	26

Function - Handed cont.

Pull Handle and Turnknob	27
Pull Handle and Privacy Indicating Emergency Turn	28
Pull Handle and Privacy Indicating Turnknob	29
Flush Pull and Cylinder	32
Flush Pull and Emergency Turn	33
Flush Pull and Turnknob	34
Flush Pull and Privacy Indicating Emergency Turn	35
Flush Pull and Privacy Indicating Turnknob	36
Pull Handle and Knob	56
Pull Handle, Cylinder and Knob	57
Pull Handle, Emergency Turn and Knob	58
Pull Handle, Turnknob and Knob	59
Pull Handle, Privacy Indicating Emergency Turn and Knob	60
Pull Handle, Privacy Indicating Turnknob and Knob	61
Flush Pull and Lever/Knob	62
Flush Pull and Cylinder and Lever/Knob	63
Flush Pull and Emergency Turn and Lever/Knob	64
Flush Pull and Turnknob and Lever/Knob	65
Flush Pull and Privacy Indicating Emergency Turn and Lever/Knob	66
Flush Pull and Privacy Indicating Turnknob and Lever/Knob	67

Engraving Options

Male Symbol	A	R
Male Text	B	S
Female Symbol	C	T
Female Text	D	U
Disabled Symbol	E	V
Push Text	F	W
Pull Text	G	X
Unisex Symbol	H	Y
No Option		N

For all in-filled engraving, black gloss is the standard.
A-G Outlined Infill
R-X Full Infill

Cylinder Type

Australian Oval	A
No Cylinder - Selector	S*1
No Cylinder - Synergy	N
No Cylinder / No Tailbar - Selector	SN*2
No Cylinder / No Tailbar - Synergy	NN

*1 *Only applies to 04, 06, 13, 14, 15, 16, 59, 60, 61, 65, 66 and 67 functions.*
*2 *Only applies to 15, 16, 61 and 67 functions.*

Knob

Standard Knob	21
Webbed Knob	22

Lever - Handed

Lever	23*

Handing

Left Handed	L
Right Handed	R

**Lever cannot be used in combination with pull handle*

Finish

Satin Stainless Steel	SS

Note: Cylinder guards must be ordered with all cylinder function plates. All turnknob functions are supplied with tailbars and clutching mechanisms as standard.

Detention Series Square Plate Furniture Ordering Procedure

When ordering 04, 06, 13, 14, 15 or 16 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 222D04NS/21LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate		Function	Engraving Options	Cylinder Type		Lever/ Knob	Handing	Finish
222	D	04	N	S	/	21	L	SS

Plate

Concealed Fix 162mm x 76mm	222
Visible Fix 162mm x 76mm	223

Function

Cylinder Only	00
Cylinder and Lever/Knob	01
Emergency Turn Only	02
Emergency Turn and Lever	03
Lever/Knob Only	05
Plain Plate	07
Cylinder and Fixed Lever/Knob	08
Fixed Lever/Knob Only	09
Privacy Indicating Emergency Turn Only	13
Privacy Indicating Emergency Turn and Lever/Knob	14
Cylinder, Lever/Knob and LED	20
Cylinder, Fixed Lever/Knob and LED	21
Lever/Knob and LED	22
Cylinder and LED	23

Function - Handed

Turnknob and Lever/Knob	04
Turnknob only	06
Privacy Indicating Turnknob Only	15
Privacy Indicating Turnknob and Lever/Knob	16

Engraving Options

Male Symbol	A	R
Male Text	B	S
Female Symbol	C	T
Female Text	D	U
Disabled Symbol	E	V
Push Text	F	W
Pull Text	G	X
Unisex Symbol	H	Y
No Option		N

For all in-filled engraving, black gloss is the standard.
A-G Outlined Infill
R-X Full Infill

Cylinder Type

Australian Oval	A
No Cylinder - Selector	S*1
No Cylinder - Synergy	N
No Cylinder / No Tailbar - Selector	SN*2
No Cylinder / No Tailbar - Synergy	NN

*1 *Only applies to 04, 06, 13, 14, 15 and 16 functions.*

*2 *Only applies to 15 and 16 functions.*

Knob

Standard Knob	21
Webbed Knob	22

Lever - Handed

Lever	23

Handing

Left Handed	L
Right Handed	R

Finish

Satin Stainless Steel	SS

Note: Cylinder guards must be ordered with all cylinder function plates. All turnknob functions are supplied with tailbars and clutching mechanisms as standard.

25YEAR MECHANICAL WARRANTY

Palladium® Series Door Furniture

The Palladium Series represents the highest standard in residential and semi-commercial door hardware and is brought to you through modern innovative designs, combined with quality manufacturing. A range of lever options is available to enable a common style throughout the home.



Product Details

Dimensions	222 x 30 x 9mm
Door Thickness	Minimum 32mm - maximum 45mm door thickness.
Finishes	Black **(BLK)** Polyester Powdercoat **(PPC)** Satin Chrome Pearl **(SP)** Satin Chrome Pearl New Zealand **(SPNZ)**
Fixing	Hole centres at 181mm
Handing	Easy, field selectable handing.
Materials	All plates and levers in the Palladium Series are constructed from solid zinc die-cast.
Screws	M4 Trilobial thread cutting screws Non-threaded screw posts
Keying	Use with Euro profile cylinder
Application	Used with Induro, Optimum and Union mortice locks, see table on page 48.

Standards and Compliance

S3	High security for maximum protection (AS4145.2:2008).
D8	Tested to AS4145.2 2008 for Durability passing D8 - 500,000 cycles.
	Tested to AS4145.2 2008 for Neutral Salt Spray passing C6 Normal Corrosion Resistance - 168 Hours.

Palladium® Series Furniture

French Door - PLFD Versions

These are used on the fixed door of a set of double doors. The outside furniture has no visible screws, no cylinder hole and the handle is fixed. The inside furniture has visible screw fixings, is used to operate two way locking and has a cylinder hole. This works with the cylinder supplied with the two way lock.



PLFD/85/##

Passage - PL1 Versions

These are used on the active door of either single or double doors. The outside furniture has no visible screws, no cylinder and the handle operates the latch on the lock. The inside furniture has visible screw fixings , no cylinder hole and the handle operates the latch on the lock.



PL1/85/##

Double Cylinder - PL4 Versions

These are used on the active door of either single or double doors. The outside furniture has no visible screws, a cylinder hole and the handle operates the latch on the lock. The inside furniture has visible screw fixings, a cylinder hole and the handle operates the latch on the lock. Handles operate bolts when used with a compatible multi point lock.



PL4/85/##

Dummy - PL5 Versions

These are used on the fixed door of a set of double doors. The outside furniture has no visible furniture screws, no cylinder hole and the handle is fixed. The inside furniture has visible screw fixings , no cylinder hole and the handle is fixed.



PL5/85/##

Snib - PS4 Versions

These are used on the active door of either single or double doors. The outside furniture has no visible screws, a cylinder hole and the handle operates the latch on the lock. The inside furniture has visible screw fixings, a cylinder hole and the handle operates the latch on the lock. The snib on the inside locks and unlocks the handles.

NOTE: Palladium (Xtra) Snib PS4 version is fully interchangeable with old Palladium Xtra PX4 version which had lock-status indicator.



PS4/85/##

25YEAR MECHANICAL WARRANTY

Summit® L1



Aria® #27



Acacia® #29



Acacia® #29A



Gidgee® L37



25YEAR MECHANICAL WARRANTY

Diecast Levers

Acacia® #29

Part Number	#29
Length	122mm
Projection	56mm
Finger clearance	41mm

*Design Registered Australia/New Zealand.



Acacia® #29A

Part Number	#29
Length	122mm
Projection	56mm
Finger clearance	41mm

*Design Registered Australia/New Zealand.



Aria® S27

Part Number	#27
Length	123mm
Projection	48mm
Finger clearance	36mm

*Design Registered Australia/New Zealand.



Gidgee® #37

Part Number	#37
Length	122mm
Projection	53mm
Finger clearance	37mm

*Design Registered Australia/New Zealand.



Diecast Levers

Summit® #L1	
Part Number	#L1
Length	124mm
Projection	57mm
Finger clearance	37mm

*Design Registered Australia/New Zealand.



Palladium® Series Part Numbers

Double Cylinder Locking Furniture

Lever L1	Part Number	Barcode
Satin Chrome Pearl	PL4/85/L1SP	9311847793781
Black	PL4/85/L1BLK	9311847793811
Satin Chrome Pearl (NZ)	PL4/85/L1SPNZ	9340116012506
Powdercoat	PL4/85/L1PPC	9311847793842

Lever 27	Part Number	Barcode
Satin Chrome Pearl	PL4/85/27SP	9311847798519
Black	PL4/85/27BLK	9311847798458
Satin Chrome Pearl (NZ)	PL4/85/27SPNZ	9311847147355
Powdercoat	PL4/85/27PPC	9311847798496

Lever 29 / 29A	Part Number	Barcode
Satin Chrome Pearl	PL4/85/29ASP	9340116022826
Black	PL4/85/29ABLK	9340116022833
Satin Chrome Pearl (NZ)	PL4/85/29SPNZ	9340116023403
Powdercoat	PL4/85/29PPC	9311847797307

Lever 37	Part Number	Barcode
Satin Chrome Pearl	PL4/85/37SP	9311847798670
Black	PL4/85/37BLK	9311847798618
Satin Chrome Pearl (NZ)	PL4/85/37SPNZ	9340116028750
Powdercoat	PL4/85/37PPC	9311847798656

French Door Sets

Lever L1	Part Number	Barcode
Satin Chrome Pearl	PLFD/85/L1SP	9311847810839
Black	PLFD/85/L1BLK	9311847810808
Powdercoat	PLFD/85/L1PPC	9311847989597

Lever 27	Part Number	Barcode
Satin Chrome Pearl	PLFD/85/27SP	9311847810433
Black	PLFD/85/27BLK	9311847810402
Powdercoat	PLFD/85/27PPC	9311847937840

Lever 29	Part Number	Barcode
Black	PLFD/85/29BLK	9340116059495
Satin Chrome Pearl (NZ)	PLFD/85/29SPNZ	9340116096858

Passage Sets

Lever 27	Part Number	Barcode
Black	PL1/85/27BLK	9340116043838
Satin Chrome Pearl (NZ)	PL1/85/27SPNZ	9340116043852
Powdercoat	PL1/85/27PPC	9340116043845

Lever 29	Part Number	Barcode
Satin Chrome Pearl (NZ)	PL1/85/29SPNZ	9340116049076
Powdercoat	PL1/85/29PPC	9340116067636

Dummy Sets

Lever L1	Part Number	Barcode
Satin Chrome Pearl (NZ)	PL5/85/L1SPNZ	9340116063027
Powdercoat	PL5/85/L1PPC	9340116048079

Lever 27	Part Number	Barcode
Satin Chrome Pearl (NZ)	PL5/85/27SPNZ	9340116050096
Black	PL5/85/27BLK	9340116043869
Powdercoat	PL5/85/27PPC	9340116043876

Palladium® Series Part Numbers

Snib - Double Cylinder Locking Furniture

Lever L1	Part Number	Barcode
Satin Chrome Pearl	PS4/85/L1SP	9348313045945
Black	PS4/85/L1BLK	9348313045938
Satin Chrome Pearl (NZ)	PS4/85/L1SPNZ	9340116110943
Powdercoat	PS4/85/L1PPC	9340116110974

Lever 27	Part Number	Barcode
Satin Chrome Pearl	PS4/85/27SP	9348313045884
Black	PS4/85/27BLK	9340116113685
Satin Chrome Pearl (NZ)	PS4/85/27SPNZ	9340116111018
Powdercoat	PS4/85/27PPC	9340116110981
Silver	PS4/85/27SIL	9340116111001

Lever 29 / 29A	Part Number	Barcode
Satin Chrome Pearl	PS4/85/29ASP	9348313045907
Black	PS4/85/29ABLK	9348313045891
Satin Chrome Pearl (NZ)	PS4/85/29SPNZ	9340116110998
Powdercoat	PS4/85/29PPC	9340116110967

Lever 37	Part Number	Barcode
Satin Chrome Pearl	PS4/85/37SP	9348313045921
Black	PS4/85/37BLK	9348313045914

Palladium® Series Part Numbers

Application

Item Number	Product Name	PL	PS	PLFD
LW7130L	LOCKWOOD INDURO 2PT 30 BACKSET LONG THROW TP	✓	✓	✗
LW7140L	LOCKWOOD INDURO 2PT 40 BACKSET LONG THROW TP	✓	✓	✗
LW7150L	LOCKWOOD INDURO 2PT 50 BACKSET LONG THROW TP	✓	✓	✗
OP30/1LAN/SS	OPTIMUM 1PT HINGED 30MM BACKSET TP	✓	✗	✗
OP30/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 30MM BACKSET TP	✓	✓	✗
OP30/2PTL/SSBL	OPTIMUM 2PT HINGED BEVEL BOLT 24MM BOLT 30MM BACKSET PK=25	✓	✓	✗
OP30/2PTS/SS	OPTIMUM 2PT HINGED 13MM BOLT 30MM BACKSET TP	✓	✓	✗
OP30/2PTS/SSBL	OPTIMUM 2PT HINGED BEVEL BOLT 30MM BACKSET PK=25 TP	✓	✓	✗
OP30/4PTS/SSBL	OPTIMUM 4PT HINGED SHOOT BEVEL BOLT 30MM BACKSET PK=25 TP	✓	✓	✗
OP30/4RML/SS	OPTIMUM 4PT HINGED REMOTES 24MM BOLT 30MM BACKSET	✓	✓	✗
OP30/4RML/SSBL	OPTIMUM 4PT HINGED REMOTES 24MM BOLT 30MM B/SET BEVEL BOLT & 2 PACKERS	✓	✓	✗
OP30/4RMS/SS	OPTIMUM 4PT HINGED REMOTES 13MM BOLT 30MM BACKSET	✓	✓	✗
OP30/4SBL/SS	OPTIMUM 4PT HINGED SHOOT BOLT 24MM BOLT 30MM BACKSET TP	✓	✓	✗
OP30/4SBS/SS	OPTIMUM 4PT HINGED SHOOT BOLT 13MM BOLT 30MM BACKSET TP	✓	✓	✗
OP40/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 40MM BACKSET TP	✓	✓	✗
OP40/4SBS/SS	OPTIMUM 4PT HINGED SHOOT BOLT 13MM BOLT 40MM BACKSET TP	✓	✓	✗
OP50/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 50MM BACKSET	✓	✓	✗
U-X925-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 25MM BACKSET TP	✓	✗	✗
U-X930-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 30MM BACKSET	✓	✗	✗
U-X935-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 35MM BACKSET	✓	✗	✗
P84318NRA	TBL FR DR NO FURN/CYL *NO RODS	✗	✗	✓

Note: For further information, please refer to the Euro Profile Mortice Locks catalogue.

Brass Furniture Thicker Door Accessories

Lockwood Brass Door Furniture is suitable for use across a wide range of door thicknesses. In certain applications longer screws, spindles and turnknob tailbars may be required.

Screws



Screws

Part Number	Pack Size	Length (A)	Threaded Length (B)	Door Thickness	
				Min	Max
SPA20-V3 NSS	20	65mm	40mm	32mm	50mm
SP0655MBK	10	75mm	40mm	42mm	60mm
SP1800-608ZP	10	120mm	75mm	52mm	105mm
SP1800-208SS	10	215mm	125mm	97mm	200mm

Note: Item shown is red is the standard screw that is supplied with furniture.

Consideration should be given to screw finish on furniture platforms featuring visible fixing.

Mortice Lock Spindles



Mortice Lock Spindles

Part Number	Pack Size	Length (A)	Door Thickness	
			Min	Max
SP3570-5018	10	33mm	35mm	50mm
SP3570-5228	10	45mm	50mm	75mm
SP3570-5238	1	58mm	75mm	100mm

In thicker door scenarios when Lockwood Brass Door Furniture is used with Lockwood Selector or Synergy Series Mortice Locks, longer spindles may be required.

Turnknob Tailbars

The door thickness range for a turnknob tailbar will depend on whether the turn is in a cylinder and turn configuration or a privacy (turn and turn) configuration

Turnknob Tailbars

Part Number	Pack Size	Length
SP571-38ZP	10	47mm
SP571-138ZP	1	98mm

Note: Item shown is red is the standard tailbar that is supplied with furniture.

25YEAR MECHANICAL WARRANTY

Lockwood Door Furniture Handing Convention

Applicable for All Handed Furniture





Metal Finishes

For Metal Finish sample refer to code under each image.

Antique Copper **(AC)**
*Sample Code: FIN-SAMPLEAC**

Architectural Bronze Unlacquered **(AU)**
*Sample Code: FIN-SAMPLEAU**



Oil Rubbed Bronze **(ORB)**
*Sample Code: FIN-SAMPLEORB**



Aged Brass **(AG)**
*Sample Code: FIN-SAMPLEAG**

Architectural Bronze **(AZ)**
*Sample Code: FIN-SAMPLEAZ***

Polished Brass **(PB)**
*Sample Code: FIN-SAMPLEPB***

Satin Brass **(SB)**
*Sample Code: FIN-SAMPLESB***

Polished Brass Unlacquered **(BU)**
*Sample Code: FIN-SAMPLEBU**

Satin Brass Unlacquered **(SBU)**
*Sample Code: FIN-SAMPLESBU**

Satin Chrome Plating **(SC)**
Sample Code: FIN-SAMPLESC

Chrome Plating **(CP)**
Sample Code: FIN-SAMPLECP

Stainless Steel **(SS)**
Sample Code: FIN-SAMPLESS

Polished Stainless Steel **(PS)**
Sample Code: FIN-SAMPLEPS

Natural Anodized Aluminium **(NT)**
Sample Code: FIN-SAMPLENT

NOTE: Not all decorative finishes apply to every Lockwood product. Refer to the table at the end of this document for specific decorative finishes applicable per series.

*Unlacquered Metal Finish. This finish will naturally age and its appearance will change over time according to the environment and use it is exposed to. For more information on the aging effect of a particular finish contact your ASSA ABLOY representative.

**Finish is protected by a top clear lacquer.

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call **1300WARRANTY**

Dulux Powdercoat Finishes

For Powdercoat Finish sample order code:
FIN-SAMPLEPC specify the desired color from the images below when placing order.

Dulux Duratec Eternity
Eternity Charcoal Pearl
Satin

Dulux Electro
Black Ace
Flat

Dulux Electro
Dark Bronze
Flat

Dulux Electro
Medium Bronze
Flat

Dulux Precious
Charcoal Metallic Pearl
Gloss

Dulux Precious
Citi Pearl
Matt

Dulux Precious
Natural Pearl
Matt

Dulux Duralloy
Shoji White
Satin

Dulux Alphatec
White
Matt

Dulux Duralloy
White
Satin

Dulux Surreal Effects Mannex
Mannex Black
Effect

Dulux Surreal Effects Scylla
Red Brown Scylla
Effect

Dulux Duralloy
Black
Gloss

Dulux Duralloy CB
Monument®
Satin

Dulux Duralloy CB
Black (C/B Night Sky®)
Satin

Dulux Duralloy CB
Jasper®
Satin

Dulux Duralloy CB
Monument®
Matt

Dulux Duralloy CB
Deep Ocean®
Satin

Dulux Duralloy CB
Dune®
Satin

Dulux Duralloy CB
Woodland Grey®
Satin

Dulux Duralloy CB
Woodland Grey®
Matt

Dulux Duralloy
APO Grey
Satin

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

CB Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited

Dulux We recommend and use Dulux Powders

Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call **1300WARRANTY**

Dulux Powdercoat Finishes

For Powdercoat Finish sample order code:
FIN-SAMPLEPC specify the desired color from the images below when placing order.

Dulux Duralloy
Surfmist®
Matt
CB

Dulux Duratec Eternity
Eternity Nickel Pearl
Matt

Dulux Duralloy
Anotec® Mid Bronze
Matt

Dulux Duralloy
Dune®
Matt
CB

Dulux Duralloy
Anotec® Dark Grey
Matt

Dulux Duralloy
White Birch
Gloss

Dulux Duralloy
Stone Beige
Matt

Dulux Duralloy
Notre Dame
Gloss

Dulux Duralloy
Pale Eucalypt®
Satin
CB

Dulux Duralloy
Paperbark®
Satin
CB

Dulux Duralloy
Primrose
Gloss

Dulux Duralloy
Black (C/B Night Sky®)
Matt
CB

Dulux Duralloy
Pearl White
Gloss

Dulux Duralloy
Bright White
Gloss

Dulux Duralloy
Hammersley Brown
Satin
CB

Dulux Duralloy
Metropolis Storm Pearl
Satin

Dulux Duralloy
Charcoal
Satin
CB

Dulux Duralloy
Oyster
Matt

Dulux Duralloy
Berry Grey
Satin

Dulux Duralloy
Zeus Charcoal
Satin

Dulux Duralloy
Manor Red
Satin

Dulux Duratec Zeus
Zeus Talc
Satin

Dulux Precious
Silver Kinetic Pearl
Satin

Dulux Charisma
Charisma Flat White
Flat

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

CB Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited

Dulux We recommend and use Dulux Powders

Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call **1300WARRANTY**

Interpon Powdercoat Finishes

For Powdercoat Finish sample order code:
FIN-SAMPLEPC specify the desired color from the images below when placing order.

Interpon Nuance
Silver Pearl
Satin

Interpon
Metallic Lustre
Matt

Interpon Vivica
Snow Dust
Matt

Interpon Sable
Core Ten
Fine Texture

Interpon Vivica
Ultra Silver
Gloss

Interpon Vivica
Storm Front
Matt

Interpon Hawthorn
Green
Gloss

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

Interpon® POWDER COATINGS

We recommend and use Interpon Powders

Disclaimer: Interpon®, Sable™, Vivica™, Excel™ are registered trademarks of AkzoNobel Pty Ltd. Colors displayed on this color card are a guide only and have been matched as close as possible to Interpon production standards under daylight conditions. Due to the nature of the printing process some degree of color and gloss level variation may occur. Where more than one finish is available product color may vary. We recommend that you use production line prepared samples for final color selection or approval.

Decorative Finishes Per Series

Powdercoat Finishes

Rose Door Handles: Robert Watson, 1220, 1420, 1360 , 1370, 260, 260SQ

Plate Door Handles: 1800, 2800, 4800, 5800, 200, 202, 212, 224

Push/Pull Plates: 218/219, 206/207, 208/209, 214/215, 216/217, 184, 185

Metal Finishes

Use table below as a reference for the applicable finish to each Lockwood Series.
Refer to the series catalogue for specific detailed information.

Standard Finish	
Satin chrome brushed **(SC)**	
Non-Standard Finishes:	**Mark-Up Over Standard Finish***
Chrome Plate **(CP)**	10%
Polished Brass **(PB)**	20%
Polished Brass Unlacquered **(BU)**	20%
Satin Brass **(SB)**	20%
Satin Brass Unlacquered **(SBU)**	20%
Polyester Powdercoat **(PC)**	20%
Architectural Bronze **(AZ)**	25%
Architectural Bronze Unlacquered **(AU)**	25%
Oil Rubbed Bronze **(ORB)**	25%
Aged Brass **(AG)**	25%
Antique Copper **(AC)**	25%

*Applicable to Brass Furniture Series 1220, 1420, 1360, 1370, 1800, 2800, 4800 and 5800 Product Ranges

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call **1300WARRANTY**

25YEAR MECHANICAL WARRANTY

Decorative Finishes Per Series

Reference Table

	Brass Series Rose Door Handles 1220, 1420, 1360, 1370	Brass Series Plate Door Handles 1800, 2800, 4800, 5800	Artefact Series Rose Door Handles 260	Artefact Series Rose Door Handles 260SQ	Artefact Series Plate Door Handles 200, 202,	Artefact Series Plate Door Handles 212, 224	Push/Pull Plate Series 184, 185	Push/Pull Plate Series 214/215, 216/217, 218/219	Push/Pull Plate Series 206/207, 208/209
Antique Copper (AC)	✓	✓	✓	×	✓	×	✓	✓	×
Architectural Bronze Unlacquered (AU)	✓	✓	✓	×	✓	×	✓	✓	×
Oil Rubbed Bronze (ORB)	✓	✓	✓	×	✓	×	✓	✓	×
Aged Brass (AG)	✓	✓	✓	×	✓	×	✓	✓	×
Architectural Bronze (AZ)	✓	✓	✓	×	✓	×	✓	✓	×
Polished Brass (PB)	✓	✓	✓	×	✓	×	✓	✓	×
Satin Brass (SB)	✓	✓	✓	×	✓	×	✓	✓	×
Polished Brass Unlacquered (BU)	✓	✓	✓	×	✓	×	✓	✓	×
Satin Brass Unlacquered (SBU)	✓	✓	✓	×	✓	×	✓	✓	×
Satin Chrome Plating (SC)	✓	✓	×	×	×	×	✓	×	×
Chrome Plating (CP)	✓	✓	×	×	×	×	✓	×	×
Stainless Steel (SS)	×	×	✓	✓	✓	✓	×	✓	✓
Polished Stainless Steel (PS)	×	×	✓	×	✓	✓	×	✓	✓
Marine Grade Stainless Steel (MG)	×	×	✓	×	✓	✓	×	✓	✓
Natural Anodised Aluminium (NT)	×	×	✓	×	✓	✓	×	×	×

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call **1300WARRANTY**

Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit **www.lockweb.com.au** or call **1300WARRANTY**

ASSA ABLOY Australia Pty Ltd
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

1300 LOCK UP (1300 562 587)
lockweb.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, Auckland, 0632
New Zealand

info.nz@assaabloy.com
Telephone +64 9415 7111
assaabloy.co.nz

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2023 copyright by ASSA ABLOY All rights reserved

ASSA ABLOY Australia Pty Limited ABN 90 086 451 907 ©2023_10

PLEASE RECYCLE THIS PACKAGING

MC14142