Plate Door Handles

Santa metalian

True True



We take the worry out of protecting what's valuable to you. Lockwood: *no worries**





.

www.lockweb.com.au



Contents



1800 Series

Square End Brass

Plate Furniture

page 4

0

2800 Series Round End Brass Plate Furniture

page 6



4800 Series Narrow Plate Brass Door Furniture

page 9



5800 Series Narrow Plate Brass Door Furniture

page 12

Brass Levers

page 18



200 Series Artefact

Square Corner Plate Furniture

page 27



202 Series Artefact Radius Corner Plate Furniture

page 29



212 Series Artefact Oval Corner Plate Furniture

page 32



224 Series Artefact Rectangular Plate Furniture

page 34



Detention Series Square and Rectangular Furniture

page 37





1800 Series Square End Brass Plate Furniture



The 1800 Series features a classic rectangular plate with bevelled edges. Suits corporate, commercial and public spaces with high use requirements.

Application

Designed for use with Lockwood Selector and Synergy Mortice Locks and Latches.



Product Deta	ils
Door Thickness	External plates are supplied with fixing screws to suit door thickness between 32 and 45mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section
Dimensions	166 x 48 x 12mm
Fixing	Plates are designed to fit back to back. If outside plat is specified with concealed fixing, then the inside pla must be visible fixed.
Handing	Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers ar functions as shown in the ordering procedure at the end of this section.
	Standard Finish: Satin Chrome Brushed (SC)
Decorative Finishes	Non Standard Finishes: Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC) *
	Special Finishes: Architectural Bronze (AZ) Architectural Bronze Unlaqured (AU) Antique Copper (AC) Oil Rubbed Bronze (ORB) Polished Brass Unlaqured (BU) Satin Brass (SB)

* Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.

Standards and Compliance

Ø

S8

1800 series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

1800 series door furniture has been successfully tested with a Selector 3772 mortice lock and Abloy Protec² CY504 cylinder to conform with Level SL8 under AS4145.2-2008, Locksets and hardware for doors and windows.

1800 series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under

D8 Level D8 (500,000 Cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

1800 series in brushed satin chrome



finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

1800 Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.



1800 series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.



Plates and Functions



* Refer to ordering procedure for part number when ordering with 3770 Series.



Note: Refer to page 18 for images of levers and knob styles available.



2800 Series Round End Brass Plate Furniture



The 2800 Series features a classic oval shapped plate. Suits corporate, commercial and public spaces with high use requirements.

Application

6

Designed for use with Lockwood Selector and Synergy Mortice Locks and Latches.



Product Details		
Door Thickness	External plates are supplied with fixing screws to suit door thickness between 32 and 45mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.	
Dimensions	166 x 48 x 12mm	
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.	
Handing	Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure at the end of this section.	
Decorative Finishes	Standard Finish:Satin Chrome Brushed (SC)Non Standard Finishes:Chrome Plate (CP)Polished Brass (PB)Polyester Powdercoat (PC)*Special Finishes:Architectural Bronze (AZ)Architectural Bronze Unlaqured (AU)Antique Copper (AC)Oil Rubbed Bronze (ORB)Polished Brass Unlaqured (BU)Satin Brass (SB)	
Turn Functions Adjustable Tailbar	Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.	

* Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.

2800 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

2800 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008,

Locksets and hardware for doors and windows.



finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

2800 Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.



2800 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.



Plates and Functions



* Refer to ordering procedure for part number when ordering with 3770 Series.



Note: Refer to page 18 for images of levers and knob styles available.



1800 and 2800 Series Ordering Procedure

For example:

Sample part number 1801/41LCP is made up of several selections. Choose your product by selecting an option from each section.

nction

Plate Type	P Fi
18	

Lever/ Knob 41

Handing

L

Plate Type

Exterior Square End	18
Interior Square End	19
Exterior Round End	28
Interior Round End	29

Plate Function	
Cylinder Only	00
Cylinder & Lever	01
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06
Plain Plate	07
Cylinder & Fixed lever	08
Fixed Lever Only	09
Two Cylinders	10
Privacy Indicating Emergency Turn Only	13
Privacy Indicating Emergency Turn & Lever	14
Privacy Indicating Turnknob Only	15
Privacy Indicating Turnknob & Lever	16
Privacy Indicating Emerger Turn & Lower Cylinder	ncy 19
Cylinder, Lever & LED	20
Cylinder, Fixed Lever & LED	21
Lever & LED	22
Cylinder & LED	23
Disabled Accessible Turnknob & Lever	39
Privacy Indicating Disabled Turnknob & Lever	41
& Lever	41

Finish
CP

AS1428 Lever T	8.1 Complia /pes	mpliant	
102	111	112	
115	116	118	
124	131	132	
133	142	144	
145	155	166	
59	70	74	
76	77	90	

Non Compliant Lever/knob Types	
101	104
123	178

106 97

Handed Levers	

20

41	47	122
153		

Refer to page 18 for detailed images of the levers and knobs that suit this range.

Handing	
Right Handed	
Left Handed	

NB: Omit if non-handed

R

L

Finish	
Antique Copper	AC
Architectural Bronze Unlaqured	AU
Chrome Plate	CP
Oil Rubbed Bronze	ORB
Polished Brass	PB
Polished Brass Unlacquered	BU
Polyester Powdercoat	PC*
Satin Brass	SB
Satin Chrome	SC

Refer to the end of this catalogue for detailed images of all decorative finishes from this section.

8



4800 Series Narrow Plate Brass Door Furniture



A slimline, rectangular brass plate that adds style to your choice of lever.

Application

Designed for use with Lockwood Selector and Synergy Series short and standard backset mortice locks.

Additionally there are functions that are designed to work with Lockwood 3540 Series short backset mortice deadbolts.

Note: Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability page at the end of this section.



Product Details

External plates are supplied with fixing screws to suit door thickness between 32 and 50mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.
185 x 26 x 11.5mm
Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure at the end of this section.
Standard Finish: Satin Chrome Brushed (SC) Non Standard Finishes: Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC)* Special Finishes: Aged Brass (AG) Architectural Bronze (AZ) Architectural Bronze Unlaqured (AU) Antique Copper (AC) Oil Rubbed Bronze (ORB) Polished Brass Unlaqured (BU) Satin Brass (SB) Satin Brass Unlacquered (SBU)

Turn Functions Adjustable Tailbar Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.

* Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.

Standards and Compliance



4600 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

4800 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under

Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



4800 Series in brushed satin chrome finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

4800 Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.



4800 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.



Plates and Functions

(See page 17 and 18 for detailed ordering procedure table and part numbers)

To suit 3780 Series Mortice Locks 4800/4900





Interior Plate Square-end Disabled Accessible Turnknob & Lever Square-end Privacy Indicating Disabled Accessible Turnknob & Lever

Interior Plate

Note: Refer to page 18 for images of levers and knob styles available.



4800 Series Plate Functions

To suit 3770 & 3570 Series Mortice Locks 🥙

4600/4700 (fire rated) 4800 / 4900 plate versions 4600 4601 4603 4608 4620 4622 4623 4805 4807 4809 6 6 lω Exterior Plate Square-end Square-end Square-end Square-end Fixed Square-end Square-end Square-end Souare-end Square-end Square-end Fixed Cylinder Only Cylinder & Lever Emergency Turn Lever & Cylinder Cylinder, Lever Lever & LED Cylinder & LED Lever Only Plain Plate Lever Only & Lever & LED 4700 4701 4704 4706 4708 4720 4722 4739 4741 4905 4907 • • • . Interior Plate Square-end Square-end Square-end Square-end Square-end Fixed Square-end Cylinder. Square-end Square-end Disabled Square-end Privacy Square-end Square-end Cylinder Only Cylinder & Lever Turnknob & Lever Turnknob Only Lever & LED Accessible Turnknob Indicating Disabled Lever Only Plain Plate Lever & Cylinder Lever & LED & Lever Accessible Turnknob & Lever

To suit 3540 Series Motice Locks



Square-end Lever Only Angled Up 45°

Square-end Lever

Note: Refer to page 18 for images of levers and knob styles available.



Functions 05, 07 & 09 use

4909

Interior Plate

Square-end Fixed

Lever Only

11

5800 Series Narrow Plate Brass Door Furniture



Functional, yet elegant, the soft lines of this round ended brass plate complement a wide range of levers.

Application

Designed for use with Lockwood Selector and Synergy Series short and standard backset mortice locks.

Additionally there are functions that are designed to work with Lockwood 3540 Series short backset mortice deadbolts.

Note: Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability page at the end of this section.



Product Deta	ils
Dimensions	185 x 26 x 11.5mm
Door Thickness	External plates are supplied with fixing screws to suit door thickness between 32 and 50mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
Handing	Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure at the end of this section.
	Standard Finish: Satin Chrome Brushed (SC) Non Standard Finishes: Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC)*
Decorative Finishes	Special Finishes: Aged Brass (AG) Architectural Bronze (AZ) Architectural Bronze Unlaqured (AU) Antique Copper (AC) Oil Rubbed Bronze (ORB) Polished Brass Unlaqured (BU) Satin Brass (SB) Satin Brass Unlacquered (SBU)
Turn Functions	Turn functions feature a unique mechanism that

Adjustable Tailbar

automatically adjusts the length of the tail bar to suit a particular door thickness.

* Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.

5600 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

5800 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under **D8**

Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

5800 Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.



5800 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.



Plates and Functions

(See Page 17 and 18 for Detailed Ordering Procedure Table and Part Numbers)

To suit 3780 Series Mortice Locks 5800/5900





Interior Plate Interior Plate Round-end Disable Round-end Privacy Accessible Turnknob & Lever Accessible Turnknob

Note: Refer to page 18 for images of levers and knob styles available.



5800 Series Plate Functions

To suit 3770 & 3570 Series Mortice Locks 🥙 Functions 05, 07 & 09 use 5600/5700 (fire rated) 5800 / 5900 plate versions 5600 5601 5603 5608 5620 5622 5623 5805 5807 5809 C Exterior Plate Round-end Round-end Round-end Round-end Fixed Round-end Cylinder Round-end Round-end Round-end Round-end Round-end Fixed Cylinder Only Cylinder & Lever Emergency Turn Lever & Cylinder Lever & LED Lever & LED Cylinder & LED Lever Only Plain Plate Lever Only & Lever 5741 5739 5905 5907 5909 5700 5701 5704 5706 5708 5720 5722 Interior Plate Interior Plate Interior Plate terior Plate Interior Plate Round-end Disabled Round-end Privacy Round-end Fixed Round-end Fixed Round-end Round-end Round-end Round-end Round-end Round-end Round-end Round-end Cylinder, Lever & LED Indicating Disabled Accessible Turnknob Cylinder Only Cylinder & Lever Turnknob & Lever Turnknob Only Lever & Cylinder Lever & LED Accessible Turnknob Lever Only Plain Plate Lever Only & Lever & Lever

To suit 3540 Series Mortice Locks



Note: Refer to page 18 for images of levers and knob styles available.



Example:

Sample part number 4801/53LCP is made up of several selections. Choose your product by selecting an option from each section.

Ordering procedure for door furniture to be used with Selector Series Mortice Locks 3770 and 3780 and for use with Synergy Series Mortice Locks 3570.



Plate Type

Standard backset mortice locks 3570 Series (Synergy) and 3770 Series (Selector)	
Exterior Square End	46
Interior Square End	47
Exterior Round End	56
Interior Round End	57
Short backset mortice	ocks

Short backset mortice locks 3780 Series (Selector)

Exterior Square End	48
Interior Square End	49
Exterior Round End	58
Interior Round End	59

Plate Function	
Cylinder Only	00
Cylinder & Lever	01
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06
Plain Plate	07
Two Cylinders	10
Disabled Accessible Turnknob	38
Disabled Accessible Turnknob & Lever	39
Privacy Indicating Disabled Accessible Turnknob	1 40
Privacy Indicating Disabled Accessible Turnknob & Lever	41

Plate Functions - 3570 Series Synergy Electric Mortice Locks only	
Cylinder, Lever & LED	20

23

Lever & LED Cylinder & LED

Plate Functions - 3780 Series Mortice Lock only	
Privacy Indicating Emergency Turn & Lever	14
Privacy Indicating Turnknob & Lever	16
Privacy Indicating Turnkno & Lower Cylinder	b 19
Disabled Accessible Turnknob	38
Disabled Accessible Turnknob & Lever	39
Privacy Indicating Disabled Accessible Turnknob & Lever	41

Finish

СР

Plate Function - Handed

Fixed Lever & Cyinder08Fixed Lever Only09

Cylinder, Fixed Lever & LED 21 Plate Functions - 3780EL

Series Selector Electric Mortice Locks only

11

12

Cylinder, Lever and Lens Lever & Lens

AS1428 Lever T	3.1 Complia ypes	nt
102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		
	mpliant ínob Types	
101	104	106
123	178	97
20		

Handed Levers

41 122 153

Notes: Certain lever designs are not compatible on short backset assemblies. See page 17 for specific lever design suitability details.

Refer to page 18 for detailed images of the levers and knobs that suit this range.

Handing

Right Handed	R
Left Handed	L
NB: Omit if non-han	ded

Aged Brass	AG
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Chrome Plate	CP
Oil Rubbed Bronze	ORB
Polished Brass	PB
Polished Brass Unlacquered	BU
Polyester Powdercoat	PC*
Satin Brass	SB

Finish

* Refer to the end of this catalogue for detailed images of all decorative finishes from this section.

Satin Brass Unlacquered SBU

SC

Satin Chrome

15

4800 & 5800 Series Ordering Procedure

Ordering procedure for door furniture to be used with 3540 Series Mortice Locks



Lever Type

67

AS1428 Levers	.1 Compliant
70	77

Note: Certain lever designs are not compatible on short backset assemblies. See page 17 for specific lever design suitability details.

See page 18 for details on lever images and dimensions.

Finish	
Aged Brass	AG
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Chrome Plate	СР
Oil Rubbed Bronze	ORB
Polished Brass	PB
Polished Brass Unlacquered	BU
Polyester Powdercoat	РС
Satin Brass	SB
Satin Brass Unlacquered	SBU
Satin Chrome	SC

* Refer to the end of this catalogue for detailed images of all decorative finishes from this section.



Application

All narrow style door furniture will be closer to the door frame. Lever handles with 90 degree angles can cause the lever stem to hit the door frame and prevent the door from opening. The table below provides a guide to lever compatibility and each model of short backset lock from 3782 to 6782. Based on 12mm doorstop.

La contractore	3782 3540	4782	5782	6782
Lever Number	23mm	25.4	30mm	38mm
41	×	×	\checkmark	 Image: A start of the start of
59	×	×	1	 Image: A second s
70	1	\checkmark	\checkmark	\checkmark
74	×	×	1	 Image: A second s
76	×	×	\checkmark	\checkmark
77	1	1	1	s
90	×	×	\checkmark	\checkmark
97	1	1	1	1
101	×	×	\checkmark	<i>✓</i>
102	1	1	1	1
104	×	\checkmark	\checkmark	<i>✓</i>
106	×	×	 Image: A second s	✓
111	×	×	\checkmark	<i>✓</i>
112	×	×	\checkmark	 Image: A second s
115	1	\checkmark	\checkmark	\checkmark
116	×	×	1	 Image: A second s
118	×	×	\checkmark	\checkmark
122	×	×	1	 Image: A second s
122	×	×	\checkmark	\checkmark
123	×	×	1	 Image: A second s
124	×	×	\checkmark	\checkmark
131	×	×	1	\checkmark
132	×	×	\checkmark	\checkmark
133	×	×	1	 Image: A second s
144	×	\checkmark	\checkmark	\checkmark
145	×	×	1	 Image: A second s
153	×	×	\checkmark	 Image: A start of the start of
155	×	1	1	✓
166	×	×	✓	✓
178	×	×	1	\checkmark
180	×	\checkmark	\checkmark	\checkmark

BRASS CORE

For use on the following door furniture series:

- 1220 Series 2800 Series
- 1420 Series 4800 Series
- 1360 Series 5800 Series
- 1370 Series Artefact Series
- 1800 Series

AS1428.1 Compliant Levers

Lever 102	
Length	134.3mm
Projection	57.5mm







Lever 111	
Length	130mm
Projection	48.5mm



118.5 130

21.5



Lever 112	
Length	130.5mm
Projection	48mm











AS1428.1 Compliant Levers

140.4mm
60mm





Lever 116	
Length	140.5mm
Projection	47.6mm







Lever 118	
Length	128mm
Projection	58mm







Lever 124	
Length	130.5mm
Projection	59mm









G.

AS1428.1 Compliant Levers

Lever 131	
Length	134.5mm
Projection	53mm







Lever 132	
Length	130mm
Projection	57.5mm







Lever 133		
Length	130mm	
Projection	53.5mm	





2



Lever 142	
Length	130.5mm
Projection	55mm









AS1428.1 Compliant Levers

Lever 144	
Length	128.8mm
Projection	57.5mm















Lever 155	
Length	129.3mm
Projection	57.5mm







Lever 166	
Length	130mm
Projection	48mm

25YEAR MECHANICAL WARRANTY









21

AS1428.1 Compliant Levers

Lever 47*		
Length	120mm	
Projection	49.6mm	

* Lever 47 needs to be handed with 1800 and 2800 plate furniture assemblies.







Lever 59	
Length	121mm
Projection	57.5mm







க





Lever 70	
Length	121mm
Projection	53mm







41





120mm

53mm

Length Projection



AS1428.1 Compliant Levers

Lever 76	
Length	125mm
Projection	48.5mm



125



Lever 77	
Length	121mm
Projection	51mm







Lever 90	
Length	118.5mm
Projection	52mm







AS1428.1



Non compliant lever/knob types

Lever 101	
Length	130mm
Projection	48.5mm

		36 8.5
<u>F</u>		

118.5 130

21.5



Lever 104	
Length	133.8mm
Projection	57.5mm







Lever 106	
Length	130mm
Projection	48mm









Lever 123	
Length	130.5mm
Projection	59mm









Non compliant lever/knob types

Lever 178	
Length	130mm
Projection	63.6mm







Lever 97	
Length	120mm
Projection	50.5mm







Knob 20

Diameter	50mm
Projection	73mm

Not compatible with 1220 Symphony internal rose.







Handed Levers

Lever 41	
Length	130mm
Projection	61.5mm

* Lever is an asymmetrical design and therefore must be handed.





Lever 122		
Length	130.5mm	
Projection	59mm	

* Lever is an asymmetrical design and

therefore must be handed.





Lever 153

Length	120mm
Projection	70.6mm

* Lever is asymmetrically designed and therefore must be handed









200 Series Artefact Square Corner Plate Furniture





The 200 Series Door Furniture Plates measure 162X162mm, and feature square corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.



al ible	Dimensions	162 x 162 x 3mm - aluminium 162 x 162 x 2mm - stainless steel and brass
ick	Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
	Standard Finishes	Natural Anodised Aluminium (NT) Satin Stainless Steel (SS)
eries	Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
nd	Finishes Non Standard	316 Marine Grade (MG) Polished Brass (PB) Polished Stainless Steel (PS) Powdercoat (PC)*
	Handing	All plates are handed with the exception of plain plates and pull handles.
	Materials	Aluminium, brass and stainless steel

Note: When using flush pulls back to back the minimum door thickness is 40mm.

* Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.

Standards and Compliance

Artefact 200 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

Artefact 200 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



 \mathbf{E}

D8

Artefact 200 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for

Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

27

access and mobility.

SS/Brass

Aluminium



200 Series Levers and Functions

Levers and Knob to Suit



For lever images and dimensions, see page 15.

*1 Stainless Steel Only

Pull Handle to Suit



Plates



 $^{\rm *3}$ Replace NN with NS when ordering with 3770 Series

^{*4} Recommended for sliding doors only





202 Series Artefact Round Corner Plate Furniture



Product Details

The 202 Series Door Furniture is 162mm square with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.



Dimensions	162 x 162 x 3mm - aluminium 162 x 162 x 2mm - stainless steel and brass
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
Standard Finishes	Natural Anodised Aluminium (NT) Satin Stainless Steel (SS)
Finishes Non Standard	316 Marine Grade (MG) Polished Brass (PB) Polished Stainless Steel (PS) Powdercoat (PC) *
Handing	All plates are handed with the exception of plain plates and pull handles.
Materials	Aluminium, brass and stainless steel

Note: When using flush pulls back to back the minimum door thickness is 40mm.

* Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.

Standards and Compliance

Artefact 202 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

Artefact 202 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



6

D8

Artefact 202 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

_

202 Series Levers and Functions

Levers and Knob to Suit



For lever images and dimensions, see page 15.

*1 Stainless Steel Only

Pull Handle to Suit







Disabled Turnknob

Turnknob

 $\left[\right]$



Indicating Emergency Turn

200/202 Series Ordering Procedure

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 20001NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate Type		Plate Funct	ion
200		0	1
Plate Type			
Exterior Plate – Square Corr	(16 ners	2 x 162) 200
Interior Plate – Square Corr		2 x 162) 201
Exterior Plate – Radius Corn		2 x 162) 202
Interior Plate – Radius Corr		2 x 162) 203

Engraving Cylinde Type	er
N A	
Plate Function	
	07
Plain Plate Pull Handle Only	07 24
Plate Function - Hande	ed
Cylinder Only	00
Cylinder & Lever	01
Emergency Turn Only	02
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06
Cylinder & Fixed Lever	08
Fixed Lever Only	09
Dual Cylinder	10
Privacy Indicating Emergency Turn Only	13
Privacy Indicating Emergency Turn & Lever	14
Privacy Indicating Turnknob & Lever	16
Cylinder, Lever & LED	20
Cylinder, Fixed Lever & LED	21
Lever & LED	22
Cylinder & LED	23
Pull Handle & Cylinder	25
Pull Handle & Emergency Turn	26
Pull Handle & Turnknob	27
Pull Handle & Privacy Indicating Emergency Turn	28
Pull Handle & Dual Cylinde	r 30
Flush Pull Only	31
Flush Pull & Cylinder	32
Flush Pull & Emergency Turn	33
Flush Pull & Turnknob	34
Flush Pull & Privacy Indicator Emergency Turn	35
Flush Pull & Dual Cylinder	37
Disabled Turnknob & Lever	39
Pull Handle & Disabled Turnknob	42

Lever/Knob/ Pull Handle	Handing	
96	L	
Engraving -	Handed	
A – G Outlined Infill R – X Full Infill		
Male symbol	А	
Male text	В	

Female symbol	С	Т
Female text	D	U
Disabled symbol	E	V
Push text	F	W
Pull text	G	Х
Unisex symbol	Н	Y
No option	١	١

For all in-filled engraving, black gloss is the standard.

Cylinder Type

Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	A
Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	В
No Cylinder Function – Selector	S*
No Cylinder Function – Synergy	N
*Only applies to 13, 14, 16 and 39 functions	

SS		
AS1428 Lever Ty	3.1 Complia /pes	nt
102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Finish

Non Compliant Lever/Knob Types		
101	104	106
123	178	97
20		

Handed Levers			
41	122 153		
Pull Handles			
P1 P1*1 75*2			
Pull Handles - Horizontal			
HP1 HP1*1 H75*2			
Handles are brass unless indicated			

otherwise *1 = Stainless Steel *2 = Aluminium *3 = 316 Marine Grade ** Lever 65 and 85 not available in PS or PB

Handing	
Left Handed	L
Right Handed	R

Stainless Steel Finishes 316 Marine Grade Powdercoat Рс

Finish

Polished Stainless Steel	PS	
Satin Stainless Steel St		
Aluminium Finishes		
Natural Anodised NT*		
Brass Finishes		
Polished Brass	PB	

MG

PC

* Refer to the end of this catalogue for detailed images of all decorative finishes from this section.



212 Series Artefact Oval Plate Furniture



The 212 Series Door Furniture is 162mm long x 50mm wide with radius ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Selector 3770 and Synergy 3570 Series Mortice Locks.





SS/Brass

Dimensions	162 x 50 x 3mm - aluminium 162 x 50 x 2mm - stainless steel and brass		
Materials	Aluminium, stainless steel or brass		
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.		
Standard Finishes	Natural Anodised Aluminium (NT) Stainless Steel (SS)		
Non Standard Finishes	316 Marine Grade (MG) Polished Stainless Steel (PS) Powdercoat (PC)		

Artefact 212 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

Artefact 212 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



D8

Anti-Corrosion.

6

Artefact 212 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

Lockwood Product Catalogue | Plate Door Handles 32 1300 LOCK UP (1300 562 587) lockweb.com.au



212 Series Levers and Functions

Levers and Knob to Suit



98

For lever images and dimensions, see page 15.

*1 Stainless Steel Only

Pull Handle to Suit



Plates







224 Series Artefact Rectangular Plate Furniture



The 224 Series Door Furniture is 162mm long x 50mm wide with square ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Selector 3770 and Synergy 3570 Series Mortice Locks.



Di-	mens	ionc	_	16
PI	out		Jet	dlis

Dimensions	162 x 50 x 2mm - stainless steel
Materials	Stainless steel only
Door Thickness	35mm to 45mm as supplied. Maximum 65mm. For thicker door parts, see page 53.
Finishes	Stainless Steel (SS)

Standards and Compliance

Artefact 224 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

Artefact 224 Series lever sets

have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors



D8

Anti-Corrosion.

and windows.

leve that of A

Artefact 224 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.



224 Series Levers and Functions

Levers and Knob to Suit



For lever images and dimensions, see page 15.

Pull Handle to Suit



Plates





When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 21201NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate Type	Plate Function	
212	01	
Plate Type		
Exterior Plate (1 – Oval	62 x 50) 212	
Interior Plate (162 x 50) – Oval 213		
Exterior Plate (162 x 50) – Rectangular 224		
Interior Plate (162 x 50) – Rectangular 225		

Engraving	Cylinder Type
Ν	А
Plate Function	
Cylinder Only	00
Cylinder & Lever	01
Emergency Turn C	Only 02
Emergency Turn &	& Lever 03
Turnknob & Lever	- 04
Lever Only	05
Turnknob Only	06
Plain Plate	07
Dual Cylinder	10
Privacy Indicating Emergency Turn C	
Privacy Indicating Emergency Turn &	
Privacy Indicating Turnknob & Lever	
Cylinder, Lever &	LED 20
Cylinder, Fixed Le	ver & LED 21
Lever & LED	22
Cylinder & LED	23
Plate Function	- Handed
Cylinder & Fixed I	ever 08
<u> </u>	00

Cylinder & Fixed Lever	08
Fixed Lever Only	09
Disabled Turnknob & Lever	39

50	_		
Engraving - Handed			
A – G Outlined Infill R – X Full Infill			
Male symbol	A	R	
Male text	В	S	
Female symbol	С	Т	
Female text	D	U	
Disabled symbol	Е	V	
Push text	F	W	
Pull text	G	Х	
Unisex symbol	Н	Y	
No option	1	N	
For all in-filled engraving, black the standard.	glo	oss is	
Cylinder Type			
Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	;	A	
Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders		В	

Lever/Knob/ Pull Handle

96

Handing

- L

S*

Ν

Finish

Selector		
No Cylinder Function - Synergy		
*Only applies to 13, 14, 16 and 39		

No Cylinder Function -

functions

SS		
AS1428 Lever Ty	.1 Complia /pes	nt
102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
78	90	
Non Co Lever/K	mpliant nob Types	
101	104	106

123 178 97 20

153

L R

Handed Levers 41 122 Angled Levers

98A

Pull Handles 75*2 P1 P1*1 Handles are brass unless indicated otherwise *1 = Stainless Steel *2 = Aluminium ** Lever 65 and 85 not available in PS or PB

Handing	
Left Handed	
Right Handed	

Finish **Stainless Steel Finishes**

Stanness Steer Finishes		
316 Marine Grade	MG	
Powdercoat	PC	
Polished Stainless Steel	PS	
Satin Stainless Steel	SS	
Aluminium Finishes ^{*4}		

Natural Anodised NT

* Refer to the end of this catalogue for detailed images of all decorative finishes from this section.


Detention Series Square Plate Furniture



A heavy duty plate designed for use in hospitals and detention facilities. Styled for institutional use, this plate has six fixing points to ensure that it is well secured to the door. Plates are designed to be free of ligature points.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.

Features and Specifications

- Anti-ligature Knob 21 & 22
- Covers fixing holes from existing Artefact 200 Series Furniture
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turnknob is held from the inside

Product Detail	S
Dimensions	162mm x 180mm x 2mm: base plate 161mm x 75mm x 3mm: bevelled top plate
Door Thickness*	35mm minimum, 45mm maximum
Finishes	Satin Stainless Steel (SS)
Fixing	Six fixing points 220D series plates have concealed fixings 221D series plates have visible fixings
Handing	All plates are handed except 220D07, 220D24 and 220D31, which are non-handed when ordered without engraving.
Materials	Stainless steel

*Note: A minimum door thickness of 50mm is required to fit flush pulls back to back.

ė	Fire Rated Lockwood Detention Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.
S 3	High security for maximum protection (AS4145.2:1993).
D3	High durability for maximum frequency usage.
Δ	



Anti-Corrosion

37

220D00	220D01	220D02	220D03	220D04*	220D05	220D06*
			Ð		•	
220D07	220D08	220D09	220D13*	220D14*	220D15*	220D16*
		ė				
220D20	220D21	220D22	220D23	220D24	220D25	220D26
220D27	220D28	220D29	220D31	220D32	220D33	220D34
220D35	220D36	220D56	220D57	220D58	220D59*	220D60*
220D61*	220D62	220D63	220D64	220D65*	220D66*	220D67*
Legend:	Cylinder Hole	Lever/Knob	Fixed Lever	/Knob 🚺 Tu	irnknob 👔 Emer	gency Turn
•	Privacy Indicating (Turnknob	Privacy Indicati Emergency Tur		Ρι	Ill Handle	n Pull

Cylinder guards must be ordered separately. Only the plate functions shown above in red are available with engraving. * Refer to ordering procedure for part number when ordering with 3770 Series

Lever and Knob Selection





Detention Series Rectangular Plate Furniture



This smaller plate range has been designed for use in detention facilities such as hospitals where domestic aesthetics are preferred over institutional type styling. Plates are designed to be free of ligature points.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.

Features and Specifications

- Anti-ligature Knob 21 & 22
- Covers fixing holes from existing 212 Series Artefact Plates
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turnknob is held from the inside

D	n	\sim	d	11	c	÷.	D.		ta	
		U	ч	u	L	ч.		9	La	

Dimensions	162mm x 76mm x 2mm: base plate 161mm x 75mm x 3mm: bevelled top plate
Door Thickness	35mm minimum, 45mm maximum
Finishes	Satin Stainless Steel (SS)
Fixing	Four fixing points 222D series plates have concealed fixings 223D series plates have visible fixings
Handing	Only plates with 23 Lever and / or turnknobs are handed
Materials	Stainless steel

Standards and Compliance

ė,	Fire Rated Lockwood Detention Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.
S 3	High security for maximum protection (AS4145.2:1993).
D3	High durability for maximum frequency usage.
	Anti-Corrosion





* Refer to ordering procedure for part number when ordering with 3770 Series

Lever and Knob Selection

Standard Knob 21

Webbed Knob 22















Detention Series – Knobs and Levers

Standard Knob 2⁻

Simple yet functional, this knob has soft edges to minimise impact injuries and antiligature features that make it suitable for use in detention facilities.



33



Webbed Knob 22

The webbed knob combines pleasing aesthetics, comfortable grip and antiligature features to provide a solution for any environment.





ever 23

Ergonomically designed to maximise grip, the detention lever is suitable for use in hospitals and minimum security applications. It caters especially for the elderly or people with arthritic conditions.







Detention Series – Turns

Emergency Turn





Turnknob





Privacy Indicating Emergency Turn





Privacy Indicating Turnknob







Detention Series – Pulls

Flush Pul

The detention flush pull has been designed to maximise grip and eliminate the possibility of hiding objects in the cavity.





Standard Pull

The detention pull allows for a firm grip and can be used to open heavy doors. Also designed to be free of hanging points.







Cylinder Guards

Part Number	Door Thickness Suitability
220D00/40SS	Suit doors 35-40mm
220D00/45SS	Suit doors 40-45mm
220D00/50SS	Suit doors 45-50mm
220D00/55SS	Suit doors 50-55mm
220D00/60SS	Suit doors 55-60mm

Cylinder guards must be fitted with any cylinder plate function. Guards are available to suit different door thicknesses.

Fixing Screws

Part Number	Description	Door Thickness Suitability
220D11/45	Torx Anti-tamper Screws	35 - 45mm
220D11/55	Torx Anti-tamper Screws	45 - 55mm
220D11/65	Torx Anti-tamper Screws	55 - 65mm
220D12/45	Standard Screws	35 - 45mm
220D12/55	Standard Screws	45 - 55mm
220D12/65	Standard Screws	55 - 65mm
220D13/50	Snake-eye Screws	35 - 50mm

Torx anti-tamper, snake-eye and standard screws are available in accessory packs to suit different door thicknesses. Only standard screws to suit doors 35mm – 45mm thick are supplied with furniture. Other variations need to be ordered separately using part numbers specified.

All accessory packs contain six screws for the six mounting points per plate.

Screws are a M4 threaded screw with micro-encapsulation to provide resistance against coming loose. Screws are supplied with concealed fix furniture. For screws longer than 65mm, order SP0655MBK (75mm screws).





Lever/ Knob

Cylinder

Α

Туре

When ordering 04, 06, 13, 14, 15, 16, 59, 60, 61, 65, 66 or 67 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 220D01NA/21LSS is made up of several sections. Choose your product by selecting an option from each section.

Engraving Options

Ν

Plate		Function
220	D	01

Plate	
Concealed Fix 162mm x 180mm	220
Visible Fix 162mm x 180mm	221
Function	
Plain Plate	07
Pull Handle Only	24
Flush Pull Only	31
Function - Handed	
Cylinder Only	00
Cylinder and Lever/Knob	01
Emergency Turn Only	02
Emergency Turn and Leve	
Turnknob and Lever/Knob	
Lever/Knob Only	05
Turnknob Only	06
Cylinder and Fixed Lever/Knob	08
Fixed Lever/Knob Only	09
Privacy Indicating Emergency Turn Only	13
Privacy Indicating Emerge Turn and Lever/Knob	ncy 14
Privacy Indicating Turnknob Only	15
Privacy Indicating Turnkno and Lever/Knob	ob 16
Cylinder, Lever/Knob and Ll	ED <mark>20</mark>
Cylinder, Fixed Lever/Knot and LED) 21
Lever/Knob and LED	22
Cylinder and LED	23
Pull Handle and Cylinder	25
Pull Handle and Emergency Turn	26

N A	
Function - Handed con	it.
Pull Handle and Turnknob	27
Pull Handle and Privacy	
Indicating Emergency Turn	28
Pull Handle and Privacy	
Indicating Turnknob	29
Flush Pull and Cylinder	32
Flush Pull and	
Emergency Turn	33
Flush Pull and Turnknob	34
Flush Pull and Privacy	
Indicating Emergency Turn	35
Flush Pull and Privacy	
Indicating Turnknob	36
Pull Handle and Knob	56
Pull Handle,	
Cylinder and Knob	57
Pull Handle, Emergency	
Turn and Knob	58
Pull Handle,	_
Turnknob and Knob	59
Pull Handle, Privacy Indicat	
Emergency Turn and Knob	60
Pull Handle, Privacy Indicat Turnknob and Knob	ting 61
	62
Flush Pull and Lever/Knob	
Flush Pull and Cylinder and Lever/Knob	63
Flush Pull and Emergency	0.
Turn and Lever/Knob	64
Flush Pull and Turnknob	
and Lever/Knob	65
Flush Pull and Privacy	
Indicating Emergency	
Turn and Lever/Knob	66
Flush Pull and Privacy	
Indicating Turnknob and Lever/Knob	-
	67

21		L
Engraving Opt	ions	
Male Symbol	А	
Male Text	В	
Female Symbol	С	
Female Text	D	
Disabled Symbol	E	
Push Text	F	
Pull Text	G	
Unisex Symbol	Н	
No Option		

Handing

S

U

V

W

Х

Y

Ν

For all in-filled engraving, black gloss is the standard. A-G Outlined Infill R-X Full Infill

Cylinder Type

Australian Oval	А
No Cylinder - Se	ector S*1
No Cylinder - Syr	nergy <mark>N</mark>
No Cylinder / No Tailbar - Selector	
No Cylinder / No Tailbar - Synergy	NN
*1Only applies to 04, 0	06, 13, 14, 15, 16,

59, 60, 61, 65, 66 and 67 functions. *2Only applies to 15, 16, 61 and 67 functions.

SS	
Knob	
Standard Knob	21
Webbed Knob	22
Lever - Handed	
Lever	23*
Handing	
Left Handed	L
Right Handed	R

Finish

*Lever cannot be used in combination with pull handle

Fi	ini	sh			
~		c .		c .	

Satin Stainless Steel

SS

Note: Cylinder guards must be ordered with all cylinder function plates. All turnknob functions are supplied with tailbars and clutching mechanisms as standard.

Pull Handle, Privacy Ine Emergency Turn and K	
Pull Handle, Privacy Ind Turnknob and Knob	di
Flush Pull and Lever/Kr	nc
Flush Pull and Cylinder Lever/Knob	a
Flush Pull and Emerger Turn and Lever/Knob	10
Flush Pull and Turnkno and Lever/Knob	b
Flush Pull and Privacy Indicating Emergency Turn and Lever/Knob	
Flush Pull and Privacy Indicating Turnknob and Lever/Knob	

Lever/ Knob

Knob

Lever

Handing

Left Handed

Right Handed

21

Standard Knob

Webbed Knob

Lever - Hande

When ordering 04, 06, 13, 14, 15 or 16 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 222D04NS/21LSS is made up of several sections. Choose your product by selecting an option from each section.

Cylinder Type

Plate		Function
222	D	04
Plate		
Concealed Fi 162mm x 76	~	222
Visible Fix 162mm x 76mm		223
Function		

Cylinder Only	00
Cylinder and Lever/Knob	01
Emergency Turn Only	02
Emergency Turn and Lever	03
Lever/Knob Only	05
Plain Plate	07
Cylinder and Fixed	
Lever/Knob	08
Fixed Lever/Knob Only	09
Privacy Indicating	
Emergency Turn Only	13
Privacy Indicating Emergen	су
Turn and Lever/Knob	14
Cylinder, Lever/Knob	
and LED	20
Cylinder, Fixed Lever/Knob	
and LED	21
Lever/Knob and LED	22
Cylinder and LED	23

Function - Handed

Turnknob and Lever/Knob	04
Turnknob only	06
Privacy Indicating Turnknob Only	15
Privacy Indicating Turnknob and Lever/Knob	16

N		S
Engraving Opt	ions	
Male Symbol	А	F
Male Text	В	0
Female Symbol	С	1
Female Text	D	ι
Disabled Symbol	Е	١
Push Text	F	W
Pull Text	G	>
Unisex Symbol	Н	١
No Option		Ν

Engraving Options

For all in-filled engraving, black gloss is the standard. A-G Outlined Infill R-X Full Infill

Australian Oval	А
No Cylinder - Selector	S*1
No Cylinder - Synergy	N
No Cylinder / No	
Tailbar - Selector	SN*2
No Cylinder / No	
Tailbar - Synergy	NN

*2Only applies to 15 and 16 functions.

L	SS
	Finish
21	Satin Stainless Steel
22 d	Note: Cylinder guards must be ordered with all cylinder function plates. All turnknob
23	functions are supplied with tailbars and clutching mechanisms as standard.
L	

R

SS

Finish

Handing



Palladium[®] Series Door Furniture



The Palladium Series represents the highest standard in residential and semi-commercial door hardware and is brought to you through modern innovative designs, combined with quality manufacturing. A range of lever options is available to enable a common style throughout the home.



Product Details		
Dimensions	222 x 30 x 9mm	
Door Thickness	Minimum 32mm - maximum 45mm door thickness.	
Finishes	Black (BLK) Polyester Powdercoat (PPC) Satin Chrome Pearl (SP) Satin Chrome Pearl New Zealand (SPNZ)	
Fixing	Hole centres at 181mm	
Handing	Easy, field selectable handing.	
Materials	All plates and levers in the Palladium Series are constructed from solid zinc die-cast.	
Screws	M4 Trilobial thread cutting screws Non-threaded screw posts	
Keying	Use with Euro profile cylinder	
Application	Used with Induro, Optimum and Union mortice locks, see table on page 48.	

Standards and Compliance



D8

High security for maximum protection (AS4145.2:2008).

Tested to AS4145.2 2008 for Durability passing D8 - 500,000 cycles.



Tested to AS4145.2 2008 for Neutral Salt Spray passing C6 Normal Corrosion Resistance - 168 Hours.



47

Palladium[®] Series Furniture

French Door - PLFD Versions

These are used on the fixed door of a set of double doors. The outside furniture has no visible screws, no cylinder hole and the handle is fixed. The inside furniture has visible screw fixings, is used to operate two way locking and has a cylinder hole. This works with the cylinder supplied with the two way lock.



PLFD/85/##

Passage - PL1 Versions

These are used on the active door of either single or double doors. The outside furniture has no visible screws, no cylinder and the handle operates the latch on the lock. The inside furniture has visible screw fixings, no cylinder hole and the handle operates the latch on the lock.



PL1/85/##

Double Cylinder - PL4 Versions

These are used on the active door of either single or double doors. The outside furniture has no visible screws, a cylinder hole and the handle operates the latch on the lock. The inside furniture has visible screw fixings, a cylinder hole and the handle operates the latch on the lock. Handles operate bolts when used with a compatible multi point lock.

These are used on the fixed door of a set of double doors. The outside furniture has no visible furniture screws, no cylinder hole and the handle is fixed. The inside furniture has visible screw

fixings, no cylinder hole and the handle is fixed.



PL4/85/##



PL5/85/##

Snib - PS4 Versions

Dummy - PL5 Versions

These are used on the active door of either single or double doors. The outside furniture has no visible screws, a cylinder hole and the handle operates the latch on the lock. The inside furniture has visible screw fixings, a cylinder hole and the handle operates the latch on the lock. The snib on the inside locks and unlocks the handles.

 $\label{eq:NOTE: Palladium (Xtra) Snib PS4 version is fully interchangeable with old Palladium Xtra PX4 version which had lock-status indicator.$



PS4/85/##



Palladium[®] Series Door Furniture

Summit[®] L1









Aria[®] #27









Acacia[®] #29











Palladium[®] Series Door Furniture

Acacia[®] #29A







Gidgee[®] L37







ΧĒ





Diecast Levers

Acacia [®] #29	
Part Number	#29
Length	122mm
Projection	56mm
Finger clearance	41mm

*Design Registered Australia/New Zealand.







Acacia® #29A	
Part Number	#29
Length	122mm
Projection	56mm
Finger clearance	41mm

*Design Registered Australia/New Zealand.







Aria® S27	
Part Number	#27
Length	123mm
Projection	48mm
Finger clearance	36mm

*Design Registered Australia/New Zealand.













Gidgee [®] #37	
Part Number	#37
Length	122mm
Projection	53mm
Finger clearance	37mm

*Design Registered Australia/New Zealand.



Diecast Levers

Summit® #L1	
Part Number	#L1
Length	124mm
Projection	57mm
Finger clearance	37mm



*Design Registered Australia/New Zealand.



Palladium[®] Series Part Numbers

Double Cylinder Locking Furniture

Lever L1	Part Number Barcode	
Satin Chrome Pearl	PL4/85/L1SP	9311847793781
Black	PL4/85/L1BLK	9311847793811
Satin Chrome Pearl (NZ)	PL4/85/L1SPNZ	9340116012506
Powdercoat	PL4/85/L1PPC	9311847793842
Lever 27	Part Number	Barcode
Satin Chrome Pearl	PL4/85/27SP	9311847798519
Black	PL4/85/27BLK	9311847798458
Satin Chrome Pearl (NZ)	PL4/85/27SPNZ	9311847147355
Powdercoat	PL4/85/27PPC	9311847798496
Lever 29 / 29A	Part Number	Barcode
Lever 29 / 29A Satin Chrome Pearl	Part Number PL4/85/29ASP	Barcode 9340116022826
Satin Chrome Pearl	PL4/85/29ASP	9340116022826
Satin Chrome Pearl Black	PL4/85/29ASP PL4/85/29ABLK	9340116022826 9340116022833
Satin Chrome Pearl Black Satin Chrome Pearl (NZ)	PL4/85/29ASP PL4/85/29ABLK PL4/85/29SPNZ	9340116022826 9340116022833 9340116023403
Satin Chrome Pearl Black Satin Chrome Pearl (NZ) Powdercoat	PL4/85/29ASP PL4/85/29ABLK PL4/85/29SPNZ PL4/85/29PPC	9340116022826 9340116022833 9340116023403 9311847797307
Satin Chrome Pearl Black Satin Chrome Pearl (NZ) Powdercoat Lever 37	PL4/85/29ASP PL4/85/29ABLK PL4/85/29SPNZ PL4/85/29PPC Part Number	9340116022826 9340116022833 9340116023403 9311847797307 Barcode
Satin Chrome Pearl (NZ) 1 Black Satin Chrome Pearl (NZ) 1 Powdercoat Lever 37 Satin Chrome Pearl	PL4/85/29ASP PL4/85/29ABLK PL4/85/29SPNZ PL4/85/29SPNZ PL4/85/29PPC Part Number PL4/85/37SP	9340116022826 9340116022833 9340116023403 9311847797307 Barcode 9311847798670

French Door Sets

Lever L1	Part Number	Barcode
Satin Chrome Pearl	PLFD/85/L1SP	9311847810839
Black	PLFD/85/L1BLK	9311847810808
Powdercoat	PLFD/85/L1PPC	9311847989597
Lever 27	Part Number	Barcode
Satin Chrome Pearl	PLFD/85/27SP	9311847810433
Black	PLFD/85/27BLK	9311847810402
Powdercoat	PLFD/85/27PPC	9311847937840
Lever 29	Part Number	Barcode
Black	PLFD/85/29BLK	9340116059495
Satin Chrome Pearl (NZ)	PLFD/85/29SPNZ	9340116096858

Passage Sets		
Lever 27	Part Number	Barcode
Black	PL1/85/27BLK	9340116043838
Satin Chrome Pearl (NZ)	PL1/85/27SPNZ	9340116043852
Powdercoat	PL1/85/27PPC	9340116043845
Lever 29	Part Number	Barcode
Satin Chrome Pearl (NZ)	PL1/85/29SPNZ	9340116049076
Powdercoat	PL1/85/29PPC	9340116067636

Dummy Set

Lever L1	Part Number	Barcode
Satin Chrome Pearl (NZ)	PL5/85/L1SPNZ	9340116063027
Powdercoat	PL5/85/L1PPC	9340116048079
Lever 27	Part Number	Barcode
Satin Chrome Pearl (NZ)	PL5/85/27SPNZ	9340116050096
Black	PL5/85/27BLK	9340116043869
Powdercoat	PL5/85/27PPC	9340116043876



Snib - Double Cylinder Locking Furnitur

Lever L1	Part Number Barcode	
Satin Chrome Pearl	PS4/85/L1SP	9348313045945
Black	PS4/85/L1BLK	9348313045938
Satin Chrome Pearl (NZ)	PS4/85/L1SPNZ	9340116110943
Powdercoat	PS4/85/L1PPC	9340116110974
Lever 27	Part Number	Barcode
Satin Chrome Pearl	PS4/85/27SP	9348313045884
Black	PS4/85/27BLK	9340116113685
Satin Chrome Pearl (NZ)	PS4/85/27SPNZ	9340116111018
Powdercoat	PS4/85/27PPC	9340116110981
Silver	PS4/85/27SIL	9340116111001
Lever 29 / 29A	Part Number	Barcode
Satin Chrome Pearl	PS4/85/29ASP	9348313045907
Black	PS4/85/29ABLK	9348313045891
Satin Chrome Pearl (NZ)	PS4/85/29SPNZ	9340116110998
Powdercoat	PS4/85/29PPC	9340116110967
Lever 37	Part Number	Barcode
Satin Chrome Pearl	PS4/85/37SP	9348313045921
Black	PS4/85/37BLK	9348313045914



Palladium[®] Series Part Numbers

Application

Item Number	Product Name	PL	PS	PLFD
LW7130L	LOCKWOOD INDURO 2PT 30 BACKSET LONG THROW TP	1	1	×
LW7140L	LOCKWOOD INDURO 2PT 40 BACKSET LONG THROW TP	1	1	×
LW7150L	LOCKWOOD INDURO 2PT 50 BACKSET LONG THROW TP	\checkmark	1	×
OP30/1LAN/SS	OPTIMUM 1PT HINGED 30MM BACKSET TP	✓	×	X
OP30/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 30MM BACKSET TP	\checkmark	1	×
OP30/2PTL/SSBL	OPTIMUM 2PT HINGED BEVEL BOLT 24MM BOLT 30MM BACKSET PK=25	1	1	X
OP30/2PTS/SS	OPTIMUM 2PT HINGED 13MM BOLT 30MM BACKSET TP	1	1	×
OP30/2PTS/SSBL	OPTIMUM 2PT HINGED BEVEL BOLT 30MM BACKSET PK=25 TP	1	1	X
OP30/4PTS/SSBL	OPTIMUM 4PT HINGED SHOOT BEVEL BOLT 30MM BACKSET PK=25 TP	1	1	X
OP30/4RML/SS	OPTIMUM 4PT HINGED REMOTES 24MM BOLT 30MM BACKSET	1	1	X
OP30/4RML/SSBL	OPTIMUM 4PT HINGED REMOTES 24MM BOLT 30MM B/SET BEVEL BOLT & 2 PACKERS	1	1	×
OP30/4RMS/SS	OPTIMUM 4PT HINGED REMOTES 13MM BOLT 30MM BACKSET	1	1	X
OP30/4SBL/SS	OPTIMUM 4PT HINGED SHOOT BOLT 24MM BOLT 30MM BACKSET TP	1	1	X
OP30/4SBS/SS	OPTIMUM 4PT HINGED SHOOT BOLT 13MM BOLT 30MM BACKSET TP	1	1	X
OP40/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 40MM BACKSET TP	1	1	×
OP40/4SBS/SS	OPTIMUM 4PT HINGED SHOOT BOLT 13MM BOLT 40MM BACKSET TP	1	1	X
OP50/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 50MM BACKSET	1	1	×
U-X925-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 25MM BACKSET TP	1	×	×
U-X930-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 30MM BACKSET	1	×	×
U-X935-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 35MM BACKSET	1	×	×
P84318NRA	TBL FR DR NO FURN/CYL *NO RODS	×	×	1

Note: For further information, please refer to the Euro Profile Mortice Locks catalogue.



Brass Furniture Thicker Door Accessories

Lockwood Brass Door Furniture is suitable for use across a wide range of door thicknesses. In certain applications longer screws, spindles and turnknob tailbars may be required.

Screws



Screws

Part Number	Pack Size	8 ()		kness	
	SIZE		Length (B)	Min	Max
SPA20-V3 NSS	20	65mm	40mm	32mm	50mm
SP0655MBK	10	75mm	40mm	42mm	60mm
SP1800-608ZP	10	120mm	75mm	52mm	105mm
SP1800-208SS	10	215mm	125mm	97mm	200mm

Note: Item shown is red is the standard screw that is supplied with furniture.

Consideration should be given to screw finish on furniture platforms featuring visible fixing.

Mortice Lock Spindles



Mortice Lock Spindles

Part Number	Pack	Length (A)	Door Thic	kness
	Size		Min	Max
SP3570-5018	10	33mm	35mm	50mm
SP3570-5228	10	45mm	50mm	75mm
SP3570-5238	1	58mm	75mm	100mm

In thicker door scenarios when Lockwood Brass Door Furniture is used with Lockwood Selector or Synergy Series Mortice Locks, longer spindles may be required.

Turnknob Tailbars

The door thickness range for a turnknob tailbar will depend on whether the turn is in a cylinder and turn configuration or a privacy (turn and turn) configuration

Turnknob Tailbars						
Part Number	Pack Size	Length				
SP571-38ZP	10	47mm				
SP571-138ZP	1	98mm				

Note: Item shown is red is the standard tailbar that is supplied with furniture.



Lockwood Door Furniture Handing Convention

Applicable for All Handed Furniture







Metal Finishes

For Metal Finish sample refer to code under each image.



Antique Copper (AC) Sample Code: FIN-SAMPLEAC*



Architectural Bronze Unlacquered (AU) Sample Code: FIN-SAMPLEAU*



Oil Rubbed Bronze (ORB) Sample Code: FIN-SAMPLEORB*



Aged Brass (AG) Sample Code: FIN-SAMPLEAG*



Architectural Bronze (AZ) Sample Code: FIN-SAMPLEAZ**



Polished Brass (PB) Sample Code: FIN-SAMPLEPB**



Satin Brass **(SB)** Sample Code: FIN-SAMPLESB**



Polished Brass Unlacquered (BU) Sample Code: FIN-SAMPLEBU*



Satin Brass Unlacquered **(SBU)** Sample Code: FIN-SAMPLESBU*



Satin Chrome Plating (SC) Sample Code: FIN-SAMPLESC



Chrome Plating (CP) Sample Code: FIN-SAMPLECP



Stainless Steel (SS)
Sample Code: FIN-SAMPLESS



Polished Stainless Steel (**PS**) Sample Code: FIN-SAMPLEPS



Natural Anodized Aluminium (NT) Sample Code: FIN-SAMPLENT

NOTE: Not all decorative finishes apply to every Lockwood product. Refer to the table at the end of this document for specific decorative finishes applicable per series.

*Unlacquered Metal Finish. This finish will naturally age and its appearance will change over time according to the environment and use it is exposed to. For more information on the aging effect of a particular finish contact your ASSA ABLOY representative. **Finish is protected by a top clear lacquer.

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit <u>www.lockweb.com.au</u> or call **1300WARRANTY**



For Powdercoat Finish sample order code:

FIN-SAMPLEPC specify the desired color from the images below when placing order.

Dulux Duratec Eternity	Dulux Electro	Dulux Electro	Dulux Electro	Dulux Precious
Eternity Charcoal Pearl	Black Ace	Dark Bronze	Medium Bronze	Charcoal Metallic Pearl
Satin	Flat	Flat	Flat	Gloss
Dulux Precious	Dulux Precious	Dulux Duralloy	Dulux Alphatec	Dulux Duralloy
Citi Pearl	Natural Pearl	Shoji White	White	White
Matt	Matt	Satin	Matt	Satin
Dulux Surreal Effects Mannex	Dulux Surreal Effects Scylla	Dulux Duralloy	Dulux Duralloy (B	Dulux Duralloy CB
Mannex Black	Red Brown Scylla	Black	Monument®	Black (C/B Night Sky®)
Effect	Effect	Gloss	Satin	Satin
Dulux Duralloy СВ	Dulux Duralloy	Dulux Duralloy ⊂₿	Dulux Duralloy СВ	Dulux Duralloy св
Jasper®	Monument®	Deep Ocean®	Dune®	Woodland Grey®
Satin	Matt	Satin	Satin	Satin
Dulux Duralloy св Woodland Grey® Matt	Dulux Duralloy APO Grey Satin			

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.



Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit <u>www.lockweb.com.au</u> or call 1300WARRANTY



Dulux[•]

59

For Powdercoat Finish sample order code:

FIN-SAMPLEPC specify the desired color from the images below when placing order.

Dulux Duralloy	св Dulux Duratec Eternity	Dulux Duralloy	Dulux Duralloy	CB Dulux Duralloy
Surfmist®	Eternity Nickel Pearl	Anotec® Mid Bronze	Dune®	Anotec® Dark Grey
Matt	Matt	Matt	Matt	Matt
Dulux Duralloy	Dulux Duralloy	Dulux Duralloy	Dulux Duralloy	⊂ BDulux Duralloy
White Birch	Stone Beige	Notre Dame	Pale Eucalypt®	Paperbark®
Gloss	Matt	Gloss	Satin	Satin
				Jun
Dulux Duralloy	Dulux Duralloy	св Dulux Duralloy	Dulux Duralloy	Dulux Duralloy
Primrose	Black (C/B Night Sky®)	Pearl White	Bright White	Hammersley Brown
Gloss	Matt	Gloss	Gloss	Satin
Dulux Duralloy	Dulux Duralloy	CB Dulux Duralloy	Dulux Duralloy	Dulux Duralloy
Metropolis Storm Pearl	Charcoal	Oyster	Berry Grey	Zeus Charcoal
Satin	Satin	Matt	Satin	Satin
Dulux Duralloy	Dulux Duratec Zeus	Dulux Precious	Dulux Charisma	
Manor Red	Zeus Talc	Silver Kinetic Pearl	Charisma Flat White	
Satin	Satin	Satin	Flat	

at the end of this document for specific decorative finishes applicable per series.



60

Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



We recommend and use Dulux Powders

Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit <u>www.lockweb.com.au</u> or call **1300WARRANTy**

25YEAR MECHANICAL WARRANTY

For Powdercoat Finish sample order code:

FIN-SAMPLEPC specify the desired color from the images below when placing order.





Interpon Metallic Lustre Matt



Interpon Vivica Snow Dust Matt



Interpon Sable Core Ten Fine Texture



Interpon Vivica Ultra Silver Gloss



Interpon Vivica Storm Front Matt

Interpon Nuance

Silver Pearl

Satin



Interpon Hawthorn Green Gloss

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

POWDER COATINGS

We recommend and use Interpon Powders

Disclaimer: Interpon®, Sable[™], Vivica[™], Excel[™] are registered trademarks of AkzoNobel Pty Ltd. Colors displayed on this color card are a guide only and have been matched as close as possible to Interpon production standards under daylight conditions. Due to the nature of the printing process some degree of color and gloss level variation may occur. Where more than one finish is available product color may vary. We recommend that you use production line prepared samples for final color selection or approval.



Decorative Finishes Per Series

Powdercoat Finishes

 Rose Door Handles:
 Robert Watson, 1220, 1420, 1360, 1370, 260, 260SQ

 Plate Door Handles:
 1800, 2800, 4800, 5800, 200, 202, 212, 224

 Push/Pull Plates:
 218/219, 206/207, 208/209, 214/215, 216/217, 184, 185

Metal Finishes

Use table below as a reference for the applicable finish to each Lockwood Series. Refer to the series catalogue for specific detailed information.

Standard Finish	
Satin chrome brushed (SC)	
Non-Standard Finishes:	Mark-Up Over Standard Finish*
Chrome Plate (CP)	10%
Polished Brass (PB)	20%
Polished Brass Unlacquered (BU)	20%
Satin Brass (SB)	20%
Satin Brass Unlacquered (SBU)	20%
Polyester Powdercoat (PC)	20%
Architectural Bronze (AZ)	25%
Architectural Bronze Unlacquered (AU)	25%
Oil Rubbed Bronze (ORB)	25%
Aged Brass (AG)	25%
Antique Copper (AC)	25%

*Applicable to Brass Furniture Series 1220, 1420, 1360, 1370, 1800, 2800, 4800 and 5800 Product Ranges

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY



Reference Table

	Brass Series Rose Door Handles 1220, 1420, 1360, 1370	Brass Series Plate Door Handles 1800, 2800, 4800, 5800	Artefact Series Rose Door Handles 260	Artefact Series Rose Door Handles 260SQ	Artefact Series Plate Door Handles 200, 202,	Artefact Series Plate Door Handles 212, 224	Push/Pull Plate Series 184, 185	Push/Pull Plate Series 214/215, 216/217, 218/219	Push/Pull Plate Series 206/207, 208/209
Antique Copper (AC)	\checkmark	\checkmark	\checkmark	×	\checkmark	×	\checkmark	\checkmark	x
Architectural Bronze Unlacquered (AU)	\checkmark	\checkmark	\checkmark	×	\checkmark	×	\checkmark	\checkmark	x
Oil Rubbed Bronze (ORB)	\checkmark	\checkmark	\checkmark	x	\checkmark	x	\checkmark	\checkmark	x
Aged Brass (AG)	\checkmark	\checkmark	\checkmark	×	\checkmark	×	\checkmark	\checkmark	×
Architectural Bronze (AZ)	\checkmark	\checkmark	\checkmark	x	\checkmark	x	\checkmark	\checkmark	x
Polished Brass (PB)	\checkmark	\checkmark	\checkmark	x	\checkmark	x	\checkmark	\checkmark	x
Satin Brass (SB)	\checkmark	\checkmark	\checkmark	×	\checkmark	×	\checkmark	\checkmark	x
Polished Brass Unlacquered (BU)	\checkmark	\checkmark	\checkmark	×	\checkmark	×	\checkmark	\checkmark	×
Satin Brass Unlacquered (SBU)	\checkmark	\checkmark	\checkmark	x	\checkmark	×	\checkmark	\checkmark	×
Satin Chrome Plating (SC)	\checkmark	\checkmark	x	x	x	×	\checkmark	x	×
Chrome Plating (CP)	\checkmark	\checkmark	×	×	×	×	\checkmark	×	×
Stainless Steel (SS)	×	×	\checkmark	\checkmark	\checkmark	\checkmark	×	\checkmark	\checkmark
Polished Stainless Steel (PS)	×	×	\checkmark	×	\checkmark	\checkmark	×	\checkmark	\checkmark
Marine Grade Stainless Steel (MG)	x	×	\checkmark	×	\checkmark	\checkmark	×	\checkmark	\checkmark
Natural Anodised Aluminium (NT)	x	×	\checkmark	×	\checkmark	\checkmark	x	×	×

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit <u>www.lockweb.com.au</u> or call 1300WARRANTY





MECHANICAL

Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call 1300WARRANTY

ASSA ABLOY Australia Pty Ltd 235 Huntingdale Road Oakleigh, Victoria, 3166 Australia

1300 LOCK UP (1300 562 587) lockweb.com.au

ASSA ABLOY New Zealand Ltd 6 Armstrong Road Albany, Auckland, 0632 New Zealand

info.nz@assaabloy.com Telephone +64 9415 7111 assaabloy.co.nz

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2023 copyright by ASSA ABLOY All rights reserved

