

# Exidor Series Exit Device



## Description

The Lockwood Exidor series panic hardware offers a modern, aesthetically pleasing style giving optimum safety and security.

## Features and Specifications

- Push bar activated panic exit device
- Available in configurations to suit single and double doors
- Fire rated for use on timber and steel doors
- Surface mounted
- Shoot bolts and latch options available
- Suitable for doors up to 1220mm wide and 2440mm high
- Tested to 200,000 cycles
- Non-handed

## Product Details

<b>Handing</b>	Field Reversible
<b>Door Width</b>	Maximum 1220mm, bar can be cut to size
<b>Door Mass</b>	Up to 200kg
<b>Projection</b>	98mm from door face
<b>Finish</b>	Silver (SIL) Epoxy powder coating

## Standards and Compliance



Successfully tested on fire door assemblies in accordance with Australian Standard AS1905.1-2005. Fire Resistant Doorsets.

Conforms to the standards as set out in CE EN1125 -2015.

# Exidor Series Exit Device


## Exidor Series Exit Device Two Point

Part Number	Description
EXI294-SIL	Single panic bolt


The Exidor 294 is an elegant and highly functional panic bolt for single and double door applications. Incorporated as standard is an automatic top trip and easy clean floor socket. The main body is fitted with an antithrust device, which prevents leverage of both the top and bottom shoot bolts from their sockets.

### Operation

Pushing the bar down into the door face retracts the bolts. The bolts remain retracted until automatically released on closing of the door.



Typical Single Door Installation



# Exidor Accessories


## Extended Top Shoot Tube

Part Number	Description
EXIP0804-SIL	Extended Top Shoot Tube for doors up to 3180mm high

For doors exceeding 2440mm in height, the EXIP0804-SIL Extended Top Shoot Tube is designed as an addition to the vertical rod exit device and can be used in applications of up to 3180mm.

To be ordered separately.

Available in SILVER only.



# Exidor Accessories

## Extended Top Shoot Tube

Part Number	Description
EXI325EA-SIL	Lever OAD Euro w/out lock

The Exidor 325 is an elegant lever operated outside access device. Euro profile cylinder supplied separately to allow flexibility of special keying requirements.

### Features and Specification

- Non-handed
- Powder coated for durability
- Fixings to suit steel, timber, aluminium or uPVC doors
- For doors up to 65mm thick

### Operation

Pushing the bar down into the door face retracts the bolts. The bolts remain retracted until automatically released on closing of the door.

Euro Profile Half Cylinder is required (not supplied).

To be ordered separately.

Available in SILVER only.

