

Simplicity® Series

Affordable hardware for multi-residential developments made easy.

Contents



Simplicity Series Kit

Page 2



Simplicity Series Leversets

Page 5



Simplicity Series Door Escutcheons

Page 8



Simplicity Series Leversets Black

Page 9



Simplicity Series Door Escutcheons Black

Page 10



Simplicity Series Door Closer

Page 18



Simplicity Series Leverset Accessories

Page 11



Simplicity Series Mortice Lock

Page 12



Simplicity Series Mortice Lock Accessories Page 17

Simplicity[®] Series Kit



Application

The Yale Simplicity Series Kit is a total door solution, specifically targeted at the multi-residential development new construction market. Supplied in a consolidateda door kit the Yale Simplicity Series incorporates a range of stainless steel rose door furniture, a Mortice Lock and Door Closer specifically intended for use on apartment doors.

Benefits

- Lock, door furniture and door closer all site handable and provided in a consolidated entry door kit simplifying the supply and installation process.
- 2 Hour Fire Rated
- Complimented with Passage and Privacy Leversets for a total apartment solution.

Fire Rated

Yale Simplicity Series Leversets, Mortice Locks and Door Closers have been successfully tested up to 2 hours on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2015, Fire Resistant Doorsets.*

Note: *For questions concerning our fire rated products, their specifications and their utilisation please contact ASSA ABLOY or relevant Fire Door Manufacturer

All dimensions depicted in this brochure are in mm.

Simplicity® Series Kit

S1 Lever Kit	
Part Number	YSK/S1SS
Contents	Simplicity Mortice Lock
	Simplicity Door Closer
	 S1 Lever Passage Set No Latch
	Outlinder Ecouteboon

Cylinder Escutcheon



-	
00	3
6	





Part Number YSK/S1TSS Contents • Simplicity Mortice Lock

- Simplicity Door Closer
- S1 Lever Passage Set No LatchCylinder Escutcheon
- Turnknob Escutcheon

S2 Lever Kit	
Part Number	YSK/S2SS
Contents	Simplicity Mortice Lock
	 Simplicity Door Closer
	 S2 Lever Passage Set No Latch
	 Cylinder Escutcheon

S2 Lever Kit with Turn	
Part Number	YSK/S2TSS
Contents	Simplicity Mortice Lock
	 Simplicity Door Closer
	 S2 Lever Passage Set No Latch
	 Cylinder Escutcheon

• Turnknob Escutcheon

Simplicity® Series Kit

S3 Lever Kit	
Part Number	YSK/S3SS
Contents	 Simplicity Mortice Lock Simplicity Door Closer
	S3 Lever Passage Set No Latch

• Cylinder Escutcheon



1	
00	3
-3	

S3 Lever Kit	with Turn
Part Number	YSK/S3TSS

Part Number Contents

Simplicity Mortice Lock

- Simplicity Door Closer
- S3 Lever Passage Set No Latch
- Cylinder Escutcheon
- Turnknob Escutcheon

Simplicity[®] Series Leversets



The Yale Simplicity Series door furniture is finished in 304 grade stainless steel making it ideally suited to compliment modern apartment interiors. Conforming to the specific requirements of multi-residential developments, the Simplicity Series includes 2 hour fire rating and features two AS1428.1 compliant lever options in both passage and privacy configurations.

The Privacy Leversets are supplied with Privacy Latches and an accessory pack including spindles, springs, mounting wood screws, through fix screws, hex inserts and Allen key.

The Passage Leversets can be used with both tubular latches and mortice locks. For passage latch applications, the latch must be ordered separately. Standard turn knobs, oval cylinder escutcheons and spare accessories are available.

Application

Suitable for use in multi-residential developments.

Designed for use with Simplicty Mortice Locks as Entrance Sets, and Tubular Latches for passage door applications.

Dimensions

Lever Rose has a 54mm diameter x 12mm.

Handing

A removable stop plate allows these symmetrically designed levers to be handed as either an operable or fixed lever on site.

Materials

All visible surfaces 304 stainless steel.

Door Thickness

32-45mm

Fire Rated 🚷

Yale Simplicity Series Leversets have been successfully tested with Yale Simplicity Mortice Locks up to 2 hours on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2015, Fire Resistant Doorsets

AS1428.1 🕃

The range includes AS1428.1 compliant levers as shown.

Simplicity® Series Leversets

Lever 1 - Passage/Mortice		
Part Number	YSH1/S1NLSS	
Length	127mm	
Projection	53mm	
٢	Disabled Accessible AS1428.1 Compliant	





Lever 1 - Privacy	
Part Number	YSH2/S1SS
Length	127mm
Projection	53mm
6	Disabled Accessible AS1428.1 Compliant





Lever 2 - Passage/Mortice	
Part Number	YSH1/S2NLSS
Length	140mm
Projection	60mm
٢	Disabled Accessible AS1428.1 Compliant





Lever 2 - Privacy	
Part Number	YSH2/S2SS
Length	140mm
Projection	60mm
6	Disabled Accessible AS1428.1 Compliant





Simplicity® Series Leversets

Lever 3 - Passage/Mortice	
Part Number	YSH1/S3NLSS
Length	130mm
Projection	57mm





Lever 3 - Privacy	
Part Number	YSH2/S3SS
Length	130mm
Projection	57mm





Simplicity[®] Series Door Escutcheons

Oval Cylinder Escutcheon	
Part Number	YSH6SS
Diameter	51.5mm
Depth	7.5mm





Standard Turnknob Escutcheon	
Part Number	YSH7SS
Diameter	51.5mm
Depth	29.5mm





Privacy Indicati Turn Escutchec	

Part Number	YSH8PSS
Diameter	51.5mm
Depth	8mm





Disabled Acce	essible
Turn Escutche	eon

Part Number	YSH9SS
Diameter	51.5mm
Depth	8mm
S	Disabled Accessible AS1428.1 Compliant





Simplicity® Series Leversets

Lever 1 - Passage/Mortice Black		
Part Number	YSH1/S1NLBLK	
Length	127mm	
Projection	53mm	
٢	Disabled Accessible AS1428.1 Compliant	





Lever 1 - Privacy Black	
Part Number	YSH2/S1BLK
Length	127mm
Projection	53mm
6	Disabled Accessible AS1428.1 Compliant





Lever 3 - Passage/Mortice Black	
Part Number	YSH1/S3NLBLK
Length	130mm

Projection

57mm





Lever 3 - Privacy Black	
Part Number	YSH2/S3BLK
Length	130mm
Projection	57mm





Simplicity[®] Series Door Escutcheons

Oval Cylinder Escutcheon Black		
Part Number	YSH6BLK	
Diameter	51.5mm	
Depth	7.5mm	











Privacy Indicating Emergency Turn Escutcheon Black		
Part Number	YSH8PBLK	
Diameter	51.5mm	

8mm

Depth





Disabled Accessible Turn Escutcheon Black		
Part Number	YSH9BLK	
Diameter	51.5mm	
Depth	8mm	
٢	Disabled Accessible AS1428.1 Compliant	





Simplicity[®] Series Leverset Accessories







Ordering Procedure

Description	Part Number
Passage Latch	YSH1LATCH
Passage Latch Black	YSH1LATCHBLK

Passage Latch is supplied with mounting wood screws, T striker and strike box.

Passage Latch is not fire rated.

Simplicity Series Lever-set Accessories

Spare Components	Description	Part Number
Handle-set Accessory Pack	Includes: • Through Fix Screws (Pair) • Hex Inserts (Pair) • Spindle Springs (Pair) • Spindles (Pair) • Mounting Woodscrews X 4 • Allen Key	YSH-ACPAC
Passage Trim Pack	Yale Simplicity Passage Rose	YSH1-TRIM
Passage Trim Pack - Black	Trim - 2 Pack	YSH1-BLK
Privacy Trim Pack	Yale Simplicity Privacy Rose	YSH2-TRIM
Privacy Trim Pack - Black	Trim - 2 Pack	YSH2-TRIMBLK
Oval Cylinder Escutcheon Trim Oval Cylinder Escutcheon Trim - Black	Yale Simplicity Oval Cylinder Escutcheon Trim X 1	YSH6-TRIM YSH6-TRIMBLK
Privacy Pin Pack	Yale Simplicity Privacy	YSH-PRIVPIN
Privacy Pin Pack - Black	Pin – 10 PACK	YSH-PRIVPINBLK



Application

A cylinder mortice lock specifically designed for use in multi-residential apartment entry door applications.

Benefits

- Simple lock handing
- Uses industry standard door preparation and cylinders for simple installation and keying

Features & Specifications

The Australian designed Simplicity Series Cylinder Mortice Locks are made from quality materials to meet the durability and strength requirements of apartment entry doors.

Case and Faceplates

- High purity zinc alloy material case
- Stainless steel faceplates

Backset

60mm backset

Latch Bolts

- Latch bolts are made with stainless steel, 15mm in size
- Deadlatching is achieved by an auxiliary stainless steel latch bolt
- Reversible for both left and right hand doors
- Separate auxiliary bolt moves into lock case simultaneously with latch bolt
- Radius bolt provides greater deadlatch throw and smoother closing action

Cylinder Retaining Pin

Hard-drawn spring steel wire, corrosion protected.

Door Thickness

32mm to 45mm

Door Clearance

To ensure correct functioning of the deadlatching mechanism and security for all locks, the clearance between the door and the frame should be 3mm. The deadlatching will operate up to 5mm.

Security

Conform with Level S7 (Physical Security) Australian Lock Standard (AS-4145.2-2008).

Durability

Conforms with Level D6 (Durability) Australian Lock Standard (AS 4145.2-2008).

Fire Rating

Yale Simplicity Series Leversets, Mortice Locks and Door Closers have been successfully tested up to 2 hours on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2015, Fire Resistant Doorsets.*

Anti-Corrosion

Conform with Level C6 (168 hours) Australian Lock Standard (AS4145.2-2008).

Cylinder

- Requires standard Australian oval shaped cylinders
- Functions require the use of different cams and adaptors

Finishes

Stainless Steel SS

Anti-Lockout

Anti-lockout function is achievable via anti-lockout adaptor. Sold separately.

Note:

*For questions concerning our fire rated products, their specifications and their utilization please contact ASSA ABLOY or relevant Fire Door Manufacturer.

1. Hub Selection

Simple hub setting mechanism operated using the cylinder retainer pin and accessible through the lock body from the outside.

2. Latch Bolt

- Reversible for both left and right hand doors opening in or opening out without disassembly
- Standard deadlatch configuration
- Separate auxiliary bolt moves into lock case simultaneously with latch bolt
- Stainless steel bolts

3. Strike

Universal stainless steel strike includes anti-rattle tab.

4. Door Thickness

Standard applications 32 to 45mm.

5. Backset

60mm only.

6. Cylinder/Adaptor Retention

"Slip Pin" Cylinder/Adaptor fixing method, which allows attachment to the case by inserting a non-threaded cylindrical pin through the front of the lock case.

7. Case Assembly

High purity zinc alloy case and backplate.

8. Faceplate

Square end stainless steel faceplate supplied.

9. Hubs

Industry standard 7.6mm square hubs (spindles supplied with door furniture).







Simplicity® Series Mortice Lock

Escape Lock	
Outside:	Opened by handle when unlocked. Key locks and unlocks outside handle.
Inside:	Opened by handle at all times.
Ordering Note:	For this function use Simplicity kit without turn and a W cam cylinder. All Simplicity lock include standard turn adaptor which is required for this function.

Escape Lock with Turn	
Outside:	Opened by handle when unlocked. Key locks and unlocks outside handle.
Inside:	Opened by handle at all times. Turnknob locks or unlocks outside handle.
Ordering Note:	For this function use Simplicity kit with turn and a W cam cylinder.

Key Entry Escape Lock	
Outside:	Opened by key at all times. Handle always rigid.
Inside:	Opened by handle at all times.
Ordering Note:	For this function use Simplicity kit without turn and a X cam cylinder.

Key Entry Escape Lock with Turn	
Outside:	Opened by key at all times. Opened by handle when unlocked.
Inside:	Opened by handle at all times. Turnknob locks or unlocks outside handle.
Ordering Note:	For this function use Simplicity kit with turn and a \boldsymbol{X} cam cylinder.









Simplicity[®] Series Mortice Lock Accessories

Cylinders

X Cam cylinder (Sold separately)



W Cam cylinder (Sold separately)



Adaptors



Standard turn adaptor (supplied as standard with lock)

Anti-lockout to suit Right Hand door (sold separately as SPYSL72-ALR)



Anti-lockout to suit Left Hand door (sold separately as SPYSL72-ALL)

Other Accessories

For extended strikes, rebate kits and extended spindles, please refer to ASSA ABLOY's Lockwood commercial mortice lock accessories, as these parts can be used with the Simplicity mortice lock.



Simplicity[®] Series Door Closer



The Yale Simplicity Door Closer compliments the entire Yale Simplicity suite in offering an appealing design aesthetic as well as providing for the unassuming functionality that is expected in a fire rated door closer.

Application

- Ideally suitable for multi-residential projects and supplied only with the Yale Simplicity Kit inclusive of Mortice Lock and door furniture.
- Pull side installation only
- Suitable for doors up to 950mm in width
- 60kg maximum door weight

Functionality

- Backcheck as standard
- Independent 2 Stage Valve Adjustment

Materials

Aluminum cast body, high quality steel internal componentry, aluminum slide rail assembly.

Standards

CE Certified Size EN3 (Pull Side Only)

Fire Rated 🚷

The Yale Simplicity Door Closer has been successfully tested up to 2 hours on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2015, Fire Resistant Doorsets.

Please check with your fire door manufacturer for compliance requirements.

Spare Parts

Spare Components	Part Number
Door Closer Cover	YSDC-171SIL
Slide Rail Assembly	YSDC-193SIL
Accessory Packet	YSDC-ACPAC
Slide Block	YSDC-SB

Simplicity® Series Door Closer

Pull Side Application Only

Pull side installation only. Maximum of 130° Opening angle





Notes



ASSA ABLOY Australia Head Office

ASSA ABLOY Australia Pty Limited 235 Huntingdale Road, Oakleigh Victoria, 3166 Australia

1300 LOCK UP (1300 562 587) customerservice.au@assaabloy.com assaabloyopeningsolutions.com.au

yalehome.com.au



Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2024 copyright by ASSA ABLOY All rights reserved

ASSA ABLOY Australia Pty Limited ABN 90 086 451 907 © 2024_11 | MC12974